

Contents

Guide to the reader	iii
Appendix 1	1
A1.1 Standard Reference Materials	1
NIST 2711a- Montana II Soil	1
NIST 2709a- San Joaquin Soil	2
NIST1646a- Estuarine sediment	3
TILL 4	4
Fluka Analytical/ Sigma-Aldrich Trace Metals Clay 2	6
Fluka Analytical/ Sigma-Aldrich Trace Metals Loamy Clay 2	8
A1.2 Avaldsnes	9
A1.2.1 Moisture content	9
A1.2.2 Semivariograms for elements of interest after PCA	13
A1.2.3 Histograms	15
A1.2.4 PCA parameters	20
A1.3 Standard Reference material readings	29
NIST 2709a	29
NIST 2711a	36
TILL 4	44
A1.4 Filter time Experiment data	54
A1.5 Uncalibrated data	75
Appendix 2	
A2.1 Core data	151
Core 12504	151
Core 7945	152
Core 12504	153
Core 14875	154
Core 14869	155
Core 14871	156
Core 14872	157
Core 14807	158
Core 14809	159
Core 14813	160
Core 14815	161
Core 14819	162
Core 14821	163
A2. 2 Statistical Testing	165
Principal Component Analysis	165
Correlation results (Pearsons and bootstrap validation)	173

Kaiser-Meyer-Olkin results	211
A2.3 Calibrated data	212
A2.4 Uncalibrated data	242
Parcels 1 and 2	242
Labyrinth parcels 9-14	268
Core 14865	278
Parcel 16	283
Appendix 3	313
A3.1 Smithy data set	313
Descriptive statistics	313
Correlation matrix	317
A3.2. House data set PCA parameters	338
Kaiser-Meyer-Olkin Results	338
A3.3 Core Descriptions	339
A3.4 Calibrated data	351
House data set	351
Smithy samples, calibrated	359
Cores 1891 and 1892, calibrated	361
A3.5 Uncalibrated data	364
House data set	364
Core 1891 and 1892 uncalibrated	391
Smithy data, uncalibrated	397

Guide to the reader

This appendix to 'prospecting the physicochemical past' is arranged into three sections, named Appendix 1, Appendix 2, and Appendix 3. These are for the case studies, Avaldsnes, Heimdalsjordet and Kaupangveien respectively. At the fore of Appendix 1 is also more general data that applies to all sites, beginning with the standard reference materials used.

- Within each appendix are all calibrated and uncalibrated readings from the use of portable XRF, as well as the parameters for statistical treatment. The structure of the Appendices is skeletal, designed only to provide full disclosure to the research presented, and for the reader to refer to.
- All measured values are in parts per million (ppm) unless otherwise stated.
- Duration is always in seconds.
- In all tables containing reading using pXRF, the error is calculated to 2σ unless otherwise stated.
- Figures and tables are not individually numbered or labelled due to the large quantity. The reader is advised to follow the contents list and headings to locate specific information.

This copy of the thesis has been supplied on condition that anyone who consults it is understood to recognise that its copyright rests with its author and due acknowledgements must always be made of the use of any material contained within, or derived from, this thesis