



## Artificial Intelligence in Cervical Cancer Research and Applications



Chunhui Liu<sup>1</sup>, Jiahui Yang<sup>2</sup>, Ying Liu<sup>3\*</sup>, Ying Zhang<sup>2</sup>, Shuang Liu<sup>2</sup>, Tetiana Chaikovska<sup>4</sup>,  
Chan Liu<sup>5</sup>

<sup>1</sup> Department of Gynecology, Affiliated Hospital of Hebei University, 071002 Baoding, China

<sup>2</sup> College of Quality and Technical Supervision, Hebei University, 071002 Baoding, China

<sup>3</sup> Department of Lecturer in Strategy, Bournemouth University, BH12 5BB Bournemouth, United Kingdom

<sup>4</sup> Department of Medical Imaging, Clinical Infectious Diseases Hospital N1, 02154 Kryvyi Rih, Ukraine

<sup>5</sup> Radiotherapy Department, Affiliated Hospital of Hebei University, 071002 Baoding, China

\* Correspondence: Ying Liu ([yliu@bournemouth.ac.uk](mailto:yliu@bournemouth.ac.uk))

**Received:** 04-25-2023

**Revised:** 05-12-2023

**Accepted:** 05-28-2023

**Citation:** C. H. Liu, J. H. Yang, Y. Liu, Y. Zhang, S. Liu, T. Chaikovska and C. Liu, "Artificial intelligence in cervical cancer research and applications," *Acadlore Trans. Mach. Learn.*, vol. 2, no. 2, pp. 99–115, 2023. <https://doi.org/10.56578/ataiml020205>.



© 2023 by the authors. Licensee Acadlore Publishing Services Limited, Hong Kong. This article can be downloaded for free, and reused and quoted with a citation of the original published version, under the CC BY 4.0 license.

**Abstract:** Cervical cancer remains a leading cause of death among females, posing a severe threat to women's health. Due to the uneven distribution of resources in different regions, there are challenges regarding physicians' experience, quantity, and medical conditions. Early screening, diagnosis, and treatment of cervical cancer still face significant obstacles. In recent years, artificial intelligence (AI) has been increasingly applied to various diseases' screening, diagnosis, and treatment. Currently, AI has many research applications in cervical cancer screening, diagnosis, treatment, and prognosis, assisting doctors and clinical experts in decision-making, improving efficiency and accuracy. This study discusses the application of AI in cervical cancer screening, including HPV typing and detection, cervical cytology screening, and colposcopy screening, as well as AI in cervical cancer diagnosis and treatment, including magnetic resonance imaging (MRI) and computed tomography (CT). Finally, the study briefly describes the current challenges faced by AI applications in cervical cancer and proposes future research directions.

**Keywords:** Cervical cancer; Cervical intraepithelial neoplasia (CIN); Artificial intelligence; Deep learning; Cervical cancer early screening; Cervical cancer diagnosis

### 1 Introduction

Cervical cancer is one of the most common malignant tumors in women. On the basis of GLOBOCAN estimates for 185 countries in 2020, there were 604,000 new cases of cervical cancer and 342,000 deaths [1]. It is the only one that can be prevented through the efficient price of 9 human papilloma virus (HPV) vaccine, early detection and timely treatment to primary prevention strategies to eliminate cancer [2].

Nearly all cases of cervical cancer consist of 15 kinds of carcinogenic HPV genotypes caused by persistent infection. There are four main stages in the development of cervical cancer: metaplastic epithelial infection in the cervical transitional zone, persistent HPV infection, progression of persistently infected epithelium to precancerous lesions of the cervix, and infiltration of the epithelial basement membrane [3]. The HPV vaccine can protect age-appropriate females from HPV infection. However, even in some developed countries, the coverage rate of the HPV vaccine remains very low [2, 4]. The slow progress of cervical lesion detection and treatment provides a number of very precious opportunities, such as, about 30% of all cervical intraepithelial neoplasia (CIN) level 3 lesions in 30 years progression to invasive cancer [5]. As screening techniques have improved, cancer detection rates have increased and death rates have declined. However, most deaths occur in low- and middle-income countries [6]. Despite advances in effective screening, diagnosis, and treatment programs, the accuracy and generalizability of screening, diagnosis, and treatment are relatively low due to the lack of physicians' experience, quantity, and medical conditions, posing significant challenges for early cervical cancer screening, diagnosis, and subsequent individualized treatment and prognosis. Therefore, it is crucial to develop a more accurate and cost-effective method for cervical cancer screening, diagnosis, and treatment.

In recent years, artificial intelligence (AI) is increasingly used in the diagnosis of various diseases, such as skin cancer classification [7, 8], retinal disease diagnosis and classification [9], and tumor imaging diagnosis [10], demonstrating good application value. In cervical cancer screening, diagnosis, and treatment, AI is also used to address the limited human resources and improve diagnostic accuracy. As described below, currently, AI has made many research achievements and progress in cervical cancer screening, including HPV typing and detection, cervical cytology screening, colposcopy screening, diagnosis, and treatment, including MRI and CT. This greatly improves the accuracy and specificity of cervical cancer screening, diagnosis, and treatment, assisting doctors and clinical experts in diagnosis and decision-making, contributing to overcoming the problems of inadequate accuracy and generalizability caused by the lack of physicians' experience, quantity, and medical conditions.

This study aims to introduce the latest artificial intelligence in cervical cancer research and applications, such as the integration of AI with HPV typing and detection, cervical cytology screening, colposcopy screening, cervical cancer lesion segmentation, and local staging in MRI, diagnosis of lymph node metastasis in cervical cancer, and diagnosis and treatment of cervical cancer in CT. This demonstrates the practicality, potential, and future challenges of AI in the early screening, diagnosis, and treatment of cervical cancer.


## 2 Artificial Intelligence in Cervical Cancer Screening, Diagnosis, and Treatment

Alan Turing first described the concept of simulating intelligent behavior and critical thinking in computers in 1950 [11]. In his book "Computing Machinery and Intelligence," he described a simple test to determine if a computer possesses human intelligence, which later became known as the "Turing Test" [12]. Six years later, John McCarthy defined Artificial Intelligence (AI) as the "science and engineering of making intelligent machines" [13, 14]. Over the following decades, the performance of artificial intelligence evolved into more complex algorithms resembling human-like capabilities. AI encompasses several subfields, such as Machine Learning (ML), Deep Learning (DL), and Computer Vision.

Machine learning refers to the analytical techniques which involved in technologies that learn patterns and derive criteria from data to predict and classify unknown objects based on these criteria [15]. ML is mainly divided into three types: Supervised learning, unsupervised learning, and reinforcement learning. Supervised learning is a kind of machine learning based on training data to provide the results or the answer, it is mainly used for regression and classification [16]. In supervised learning, training data is used as the known information for learning, building regression or classification models that can respond to unknown information. Representative techniques include decision tree-based methods, such as random forest methods and regression analysis. Unsupervised learning does not require training data to determine correct answers. It is used for grouping and summarizing data [17].


Deep Learning is a form of machine learning that drives the current AI boom, with over 90% being supervised learning [16, 17]. The neural network in deep learning consists of three types of layer categories: input layer, intermediate layer and output layer. It uses mathematical models to simulate neurons in human neural networks [15, 16]. The neural network's output is compared to the training data, adjusting the weights of the information to increase the accuracy of the output. The development and use of deep learning make anomaly detection, image processing, natural language processing and speech recognition possible [16, 17].

The relationship between artificial intelligence, machine learning, and deep learning is shown in Figure 1.



**Figure 1.** Relationship between artificial intelligence, machine learning, and deep learning

Artificial intelligence, particularly in the deep learning domain, has many applications in medicine, such as Automatic Visual Evaluation (AVE), automated dual-staining cytology, diagnostic radiology, and automated diabetic retinopathy screening [18–20]. Deep learning-based cervical image Automatic Visual Evaluation (AVE) is emerging as an alternative, low-cost solution for screening, diagnosis, and treatment [21]. Currently, AI is extensively applied in cervical cancer diagnosis and treatment, where machine learning SVM models and deep learning neural networks are widely used in cervical cancer screening, including HPV typing and detection, cervical cytology screening, and colposcopy. AI is also used in cervical cancer diagnosis and treatment, including Magnetic Resonance Imaging (MRI) and computed tomography scans, as shown in Figure 2. However, there are still challenges, such as the scarcity of high-quality clinical data and the protection of patient data privacy. At the same time, there is a broader research prospect.



**Figure 2.** Application of artificial intelligence in screening, diagnosis and treatment of cervical cancer

### 3 Artificial Intelligence in Early Screening of Cervical Cancer

Nearly all cervical cancers are caused by persistent infection with one of the high-risk HPV genotypes, of which there are 15 types in the cervical epithelium. The slow progress of cervical lesion detection and treatment provides a number of very precious opportunities. Therefore, early screening of cervical cancer is very important for the prevention, diagnosis, and early cure of cervical cancer. Related detection and diagnosis include HPV genotyping and testing, cervical cytology screening and colposcopy screening.

Based on deep learning, automatic visual assessment (AVE) of cervical images is becoming an alternative new low-cost screening and diagnostic solution. By leveraging big data and advanced computing resources, it provides accurate screening of cervical cancer and precancerous lesions. The following will specifically introduce three methods of early cervical cancer screening: HPV genotyping and testing, cervical cytology screening and colposcopy screening, as well as related research and progress of artificial intelligence technology in these methods. And discuss the potential benefits, limitations, and challenges of using artificial intelligence in cervical cancer screening, and future prospects and research directions.

#### 3.1 HPV Genotyping and Testing

Preliminary screening for cervical cancer in recent years, more and more dependent on the type of high-risk human papilloma virus (hrHPV), has been proved that the detection usually higher than cytologic examination has higher sensitivity and negative predictive value [22, 23].

ATHENA, a large trial has shown that patients infected with HPV16 or HPV18 which causes most cervical cancers are more likely to develop CIN3 or higher grade lesions [24, 25]. Therefore, if HPV testing is used as the primary screening tool for young women, those with HPV16 or HPV18 positivity should be promptly referred

for the colposcopy, while for the patients with non-16 or 18 HPV, positivity cytological classification was further conducted [26]. Therefore, HPV genotyping is more conducive to cervical cancer screening and management. Many scholars are devoted to research related to AI and HPV testing. Deep learning methods such as CNN models and ANN models have achieved high accuracy on internal datasets of research units, reaching over 90%, showing a good application prospect of deep learning models in HPV detection, as shown in Table 1.

**Table 1.** Relevant research on AI and HPV testing

Author	Publication year	Method	Case load	Classification category	Bear fruit	Superiority
Castro et al. [27]	2019	CNN	96 People	Binary classification	Precision: 100%	Developed a digital-diffraction-based DNA detection method
Miyagi et al. [28]	2019	CNN	253 People	Binary classification	Accuracy: 94.1% sensitivity: 95.6% specificity: 83.3%	Exploring the feasibility of classifying cervical squamous epithelial disease using deep learning from colposcopy images in combination with HPV types
Bogani et al. [29]	2019	ANN	5104 People	-	The accuracy of the AI classifier and gynecological oncologists were 0.941 and 0.843 respectively.	Bogani et al. [29] studied whether the pretreatment human papillomavirus (HPV) genotype predicted the risk of persistence or recurrence of cervical dysplasia. Artificial neural network (ANN) analysis was used to assess the importance of different HPV genotypes in predicting the persistence and recurrence of cervical dysplasia.
He et al. [30]	2022		25971 People	-	-	To analyze the feasibility and application value of AI-assisted cervical cytology screening combined with human papillomavirus (HPV) shunt in free cervical cancer screening in rural women. The results showed that AI-assisted cytology and high-risk HPV shunt reduced the colposcopy referral rate and improved the diagnostic agreement rate between cytology and biopsy pathology.

### 3.2 Cervical Cytology Screening

There are two methods of cervical cytology. The first is the traditional Pap smear, and the second is liquid-based cytology (LBC) [31–34]. Over the past 60 years, the pap smear screening has had a significant effect on reducing cervical cancer mortality [35]. Due to cost issues, the most common method for diagnosing malignant cervical tumors is currently cervical cytology [36, 37]. These tests are carried out by specialist cytologists who analyse a sample of cervical cells taken from a patient’s cervix under a microscope to detect the effects of HPV. However, because each slide contains about 3 million cells with different orientations and overlapping [38]. So manual screening is expensive, difficult, time consuming, expensive, and error-prone, because each slide contains about 3 million different oriented and overlapping cells [39, 40].

In medical image analysis, DL programs are now a repeating and successful type of machine learning algorithm. Cervical cytology image analysis is no exception. The popular deep architecture is convolutional neural network (CNN) is widely used in this field. This method has good results in cell detection, cell segmentation, cell classification,

and cell region of interest (ROI) extraction [41].

### 3.2.1 Segmentation of cervical cells

The main goal of segmentation is to segment medical images into multiple regions for rapid analysis of cells [42]. Accurate segmentation of the cell nucleus and cytoplasm is critical because the cell nucleus carries reliable information for cancer detection. In the medical field, automatic segmentation saves patients' lives by providing fast, reliable and accurate disease diagnosis. Due to these advantages, many researchers are using deep learning (such as convolutional neural networks and feature attention networks) to perform segmentation tasks on cervical cells, with an accuracy and recall rate of over 90% on internal datasets. This demonstrates the good application prospects of deep learning models in cervical cell segmentation, which can greatly improve the screening efficiency of expert detection. Relevant research is shown in Table 2.

**Table 2.** Relevant research on cervical cell segmentation using deep learning

Author	Publication year	Method	Case load	Classification category	Bear fruit
Song et al. [43]	2019	Adaptive shape priors extracted from cytoplasmic profile fragmentation and shape statistics to segment the overlapping cytoplasm of cells in the cervical smear image.	-	-	The experimental results show that the proposed method is general enough to be applied to other similar microscopy image segmentation tasks in the presence of a large number of overlapping objects.
Wan et al. [44]	2019	TernausDetDee pLab V2	ISBI2014 (945) ISBI2015 (210) Internal dataset (580)	ISBI2014: DCS 93% ISBI2015: DSC 92% Internal dataset: 92%	A new framework based on deep convolutional neural network (DCNN) is proposed for automatic segmentation of overlapping cells.
Wang et al. [45]	2021	VGG16+SGD	Internal dataset (143)	Precision rate: 93% Recall: 90%	The proposed method handles the whole Pap smear for only 210 seconds, which is 20 times faster than U-Net and 19 times faster than SegNet.
Zhao et al. [46]	2022	LEANE	Herlex Dataset (917) WBC Dataset (400) Warwick-QU dataset (165)	Precision: 93.01% Recall: 96.1%	A lightweight feature attention network (LEANet) is proposed to accurately segment the nucleus and cytoplasm regions in cervical images.

### 3.2.2 Classification of cervical cells

Image classification is a major area of research in medical image analysis. It is a process in computer vision. In this field, deep learning-based methods have made enormous contributions by providing the most advanced accuracy [47]. Computer vision is also an indispensable part of cervical cell classification. A large number of studies have shown that cervical cells can achieve an accuracy of 95% or more in binary classification and multi-classification tasks on homemade datasets and public datasets, providing an effective tool for cervical cancer classification in clinical settings. Relevant research is shown in Table 3.

**Table 3.** Relevant research on colposcopy image classification using deep learning

Author	Publication year	Method	Data set	Classification category	Bear fruit	Superiority
Wang et al. [48]	2020	BsiNet-TAP	Self-made data set (389)	Three classification	Precision: 98.49%	An adaptive pruning deep transfer learning model is proposed for Pap smear image classification.
Huang et al. [49]	2020	LASSO+EL-SVM	Self-made data set (468)	Seven classification	Nomal accuracy: 99.64%, HSIL accuracy: 87.4%, LSIL accuracy: 91.88%, Cancer accuracy: 81.4%	We propose a cervical biopsy tissue image classification method based on minimum absolute contraction and selection operator and integrated learning-support vector machine.
Dong et al. [50]	2020	Inception v3	Herlex data set (917)	Binary classification	Accuracy: 98.23%, Sensitivity: 99.44%, Specific: 96.73%	To propose a cell classification algorithm combining Inception v3 and artificial features.
Dong et al. [51]	2021	PSO-SVM	Herlex data set (917)	Seven classification	Accuracy: 99.81%, Sensitivity: 99.89%, Recall: 99.26%	We propose a machine learning method for cervical cell classification based on a feature selection algorithm.
Liu et al. [52]	2021	LSPS-net	Self-made data (2119)	Two categories and three categories	Accuracy of three classification: 90.90%	Developed an LSPS-net integrated 2 D light-scattering static flow cytometer for single-cervical cell analysis.

Author	Publication year	Method	Data set	Classification category	Bear fruit	Superiority
Rahaman et al. [53]	2021	DeepCervix	SIPakded Se Data Set (4049) Herlex Data set (917)	STAaldyed Data set: two classification; three classification; five classification Herlex data set: two classification; seven classification	SIPalbyeD accuracy on the data set: 2: 99.85% 3.99.38% 7.99.14% Herlev accuracy on the data set: 2 classification: 98.32% 7: 90.32% Accuracy: 96.39%, Sensitivity: 96.42 %, Specific: 99.09 %, Recall: 96.39%	A DeepCerrix algorithm based on DL hybrid depth feature fusion (HDFFF) technology is proposed.
Chen et al. [54]	2022	HI+Ghostnet	SIPakkMeD data set (4049)	Five classification	DenseNet-161 Accuracy: 91.4% EfficientNet-B7 accuracy: 92.6%	Proposed a hybrid loss function HL with label smoothing
Cho et al. [55]	2022	DenseNet-161EfficientNet-B7	Self-made data set (1106)	Three classification	Accuracy: 90.7%, Sensitivity: 85%, Specific: 91.1%	The performance of two pre-trained convolutional neural network (CNN) models using the DenseNet-16 and EfficientNet-B7 architectures was evaluated.
Kanavati et al. [56]	2022	CNN+RNN	Self-made data set (1468)	Binary classification	Accuracy of data set: 95.43% Accuracy of Mendeley data set: 99.23%	A dataset of 1,605 cervical WSI was used. We evaluated the model on three test sets, with ROC AUC in the range 0.89-0.96.
Yaman and Tuncer [57]	2022	DarkHet	STPAWWeD Data Set Mendeley Data Set (4049)	Five classification		A cervical cancer detection method based on the typical pyramid deep feature extraction has been proposed.

### 3.3 Colposcopy Screening

Colposcopy involves magnifying a fully exposed cervix 5 to 40 times using the specific instruments used for this examination to visually assess the cervix in real time, especially the transformation zone, to detect cervical intraepithelial neoplasia (CIN) or squamous intraepithelial lesion (SIL) and invasive cancer [58]. Comprehensive colposcopy should include visibility of the cervix, visibility of the squamous columnar junction, presence or absence of acetic acid whitening, presence or absence of lesions, visibility of lesions, size and location of lesions, changes in blood vessels, other characteristics of lesions, and colposcopic impression [59].

### 3.3.1 Segmentation of colposcopy images

Automatic segmentation of acetic acid lesions in colposcopy images is critical for assisting gynecologists in grading cervical intraepithelial neoplasia and cervical cancer [60]. Relevant research on colposcopy image segmentation using deep learning is currently relatively weak compared to research on colposcopy image classification, but existing relevant research has shown considerable results [61, 62]. Existing research shows high accuracy and specificity on homemade and public datasets, which can assist experts in improving detection and screening efficiency and accuracy [63, 64]. Relevant research results are shown in Table 4.

**Table 4.** Relevant research on colposcopy image segmentation using deep learning

Author	Publication year	Method	Data set	Bear fruit	Superiority
Yuan et al. [65]	2020	U-Net	Self-made data set (22330)	Average accuracy of acetic acid image: 95.59%, accuracy of iodine image: 95.70%	An independent dataset of HD images was collected and, in addition, a comparison of diagnostic accuracy between the colposcopist and the model.
Guo et al. [66]	2020	Mask R-CNN MaskX R-CNN	CVT (Costa Rica Vaccine Trial) dataset (3398); ALTS dataset (939); MobileQDT. dataset (1960)	Dice:0.947IoU: 0.901	Two state-of-the-art deep learning-based object localization and segmentation methods, the Mask R Convolutional Neural Network (CNN) and MaskX R-CNN, were evaluated for automated cervical segmentation using three datasets.
Yue et al. [67]	2021	AWL-CNN	Self-made data set (3045)	Dice: 0.823 ± 0.129; Precision: 0.928 ± 0.139	A novel AW, lesion-sensing convolutional Neural Network (AWLCNN), for the segmentation of AW lesions in cervical maps, is presented.
Liu et al. [68]	2022	DeepLab V3+	Self-made data set (280)	Average specificity was 94.9%; average accuracy 91.2%; and average sensitivity 78.2%	The cervical region was first extracted from the original colposcopy images by the k-means clustering algorithm. The AW region was again segmented from the neck region with DeepLabV3 +.

### 3.3.2 Classification of colposcopy images

Colposcopy is easy to misdiagnose and miss diagnosis because of its poor consistency with pathology. In addition, colposcopy performed by an inexperienced clinician can lead to potential harm (including vaginal discharge, pain or even bleeding, infection, etc.), so the doctor needs adequate training to achieve a certain level of proficiency to be competent. However, the long training time of the relevant doctors and the lack of qualified or skilled personnel pose a great challenge to the application of colposcopy diagnosis. In the past, deep learning has been widely and effectively applied in medical imaging. Therefore, deep learning technology can be applied in colposcopy classification tasks, which helps to solve the bottleneck and problems of traditional colposcopy, thus significantly improving its diagnostic performance. At present, there are also many research results showing that deep learning has achieved good results in classifying colposcopy images on homemade and public datasets, which can greatly improve the classification and diagnosis efficiency of doctors and experts. Relevant research is shown in Table 5.



**Table 5.** Relevant research on colposcopy image classification using deep learning

Author	Publication year	Method	Data set	Classification category	Bear fruit	Superiority
Kudva et al. [69]	2019	AlexNet;VGG-16	IEEE Dataport cervigram (3339)	Two categories and four categories	Accuracy of two classification: 91.66%, Accuracy of four classification: 83.33%	Proposed as a novel hybrid transfer learning technique
Bui et al. [70]	2020	MobileNetV2	253 People	Binary classification	Accuracy: 94.1 %, sensitivity: 95.6 %, specificity: 83.3 %	In this paper, we propose an automated colposcopy image analysis framework based on an ensemble of MobileNetV2 networks. Proposed a deep learning based ColpoNet network using colposcopy images for cervical cancer classification
Saini et al. [71]	2020	ColpoNet	Self-made data set (400)	Three classification	Precision:81.353%	A multiple CNN (DenseNet121 ResNet50) decision feature integrated system MDFI for diagnosis of cervical precancerous is proposed.
Luo et al. [72]	2020	DenseNet121 ResNet50	homemade data set (3920)	Four classification	Accuracy: 79% Sensitive: 70.4% Specificity: 82.2%	A multistate Colposcopy Image dataset (MSCI) is presented. Establish a CIN hierarchical model C-GCNN based on the MSCI dataset.
Yu et al. [73]	2021	C-GCNN	Homemade dataset MSCI (679)	Four classification	Accuracy: 96.87% Sensitivity: 95.68% Specificity: 98.72%.	
Adweb et al. [74]	2021	PreLU-ResNet	Datasets in Intel and MobileODT cervical cancer screening	Three classification	Accuracy: 100% Sensitive: 97.8% Specificity: 98.1%	Three residual networks of the same structure were constructed using different activation functions.
Park et al. [75]	2021	ResNet-50; XGB; SVM; RF	Self-made data set (4119)	Binary classification	Accuracy: ResNet-50:91% XGB: 74% SVM: 76%RF: 71% NC and LSIL + Classification: Accuracy: 88.6% Sensitivity: 93.2% Specificity: 84.6%	The performance of two different models, machine learning and deep learning, are compared.
Liu et al. [76]	2021	ResNet	Self-made data set (15276)	Binary classification	HSIL-and HSIL + Classification: Accuracy: 80.7% Sensitivity: 82.3% Specificity: 80%	The residual neural network (ResNet) was calculated for each patient. And the results were compared with the diagnosis of a senior colposcopist and a junior colposcopist.

Artificial intelligence in early cervical cancer screening, including HPV genotyping and testing, cervical cytology screening and colposcopy screening, has achieved good research results and has good application prospects. It can greatly improve the screening efficiency and accuracy of doctors and experts. It helps to solve problems such as missed diagnosis and misdiagnosis caused by insufficient experience, quantity and medical conditions of physicians. However, the clinical data currently available is generally of poor quality. At the same time, privacy issues such

as the protection of patient data also need to be considered. In the future, improving the quality of clinical image data can further improve the accuracy and applicability of artificial intelligence technology in early cervical cancer screening. It has good research prospects and is expected to further improve the popularity and diagnostic accuracy of early cervical cancer screening, especially in underdeveloped regions.

## **4 Artificial Intelligence in the Diagnosis and Treatment of Cervical Cancer**

Cross-sectional imaging modalities generally include computed tomography (CT), magnetic resonance imaging (MRI) and positron emission tomography (PET-CT). It is an important tool for studying prognostic factors of cervical cancer, such as lymph node status, parametrial invasion, cervical canal extension, tumor size, pelvic sidewall, tumor size and so on. Imaging indications also include cervical cancer follow-up, assessment of tumor response to treatment, and selection of appropriate candidates for less radical surgery, such as radical cervical excision to preserve fertility. MRI is the preferred imaging method for local cervical cancer assessment, while CT is also effective for assessing extrauterine spread of the disease [77].

However, at present, due to the lack of experience, quantity and medical conditions of physicians, the accuracy and generalization of existing diagnosis and treatment are relatively low. Therefore, early screening, diagnosis and subsequent individualized treatment and prognosis judgment of cervical cancer still face enormous challenges. This paper will mainly introduce the application of artificial intelligence in the diagnosis and treatment of cervical cancer on magnetic resonance imaging (MRI) images, including cervical cancer lesion segmentation and local staging, and diagnosis of cervical cancer lymph node metastasis (LNM) on MRI, as well as applications on computed tomography (CT) images in the diagnosis and treatment of cervical cancer.

### **4.1 Magnetic Resonance Imaging (MRI)**

MRI has been shown to be highly accurate in preoperative staging of cervical cancer [78, 79]. Therefore, MRI is the preferred method for local staging, treatment response evaluation, tumor recurrence detection and follow-up of cervical cancer patients [80]. The main purpose of MRI is to determine the presence of tumor surrounding infiltration and lymph node metastasis (LNM) [81].

#### **4.1.1 Segmentation of cervical cancer lesions and local staging on MRI**

MRI has higher soft tissue resolution than CT. It can determine tumor size and adjacent pelvic structures, and assess invasion around the uterus and involvement of uterus and vagina [82]. SVM model, U-Net model, 3D-CNN model, CapsNet model, etc. The accuracy on self-built datasets can reach more than 90%. Related research is shown in Table 6.

#### **4.1.2 Diagnosis of cervical cancer LNM**

It helps early diagnosis of cervical cancer LNM. Although CT and MRI have an accuracy of only 83% to 85% in assessing lymph node involvement, but they are particularly high specificity, can even reach to 93% from 66% [90]. In 2018, the cervical cancer staging system was revised, and lymph node status was included as a staging criterion for the first time. Imaging or pathology showing lymph node involvement in cervical cancer is classified as stage IIIC [91]. Radiology has now advanced to the point where it can bridge the gap between fusion imaging and precision medicine. Radiology extracts the wealth of information hidden in medical images by combining the use of statistical analysis with sophisticated image analysis tools [92]. Many scholars have achieved good accuracy using radiogenomics models, SVM models, DL models, etc. on self-built datasets. Related research is shown in Table 6.

### **4.2 Computed Tomography (CT)**

Accurate detection of cervical cancer plays a crucial role in disease treatment and prognosis prediction, so the accuracy and timeliness of detection are very important [93]. Computed tomography (PET/CT) and fluorodeoxyglucose positron emission tomography (FDG-PET/CT) play an important role in cervical cancer detection because of their superior sensitivity and specificity [94]. However, traditional FDG-PET/CT data analysis takes an especially long time and is not efficient because it requires interpretation of hundreds of images for each patient. However, with the development of computer hardware and algorithm and progress, especially in machine learning, especially on behalf of the development of deep learning [95], image processing techniques [96] play an indispensable role in many fields of clinical medicine [97]. The application of this technology in the diagnosis of cervical cancer can help clinicians make judgements, reduce workload and improve diagnostic accuracy [98]. Many scholars have achieved high accuracy using CNN, DpnUNet, YoloV5 and other deep learning models on self-built datasets. Related research is shown in Table 7.

Artificial intelligence has been extensively studied and applied in the diagnosis and treatment of cervical cancer. It has achieved good results in cervical cancer lesion segmentation and local staging on MRI, early diagnosis of cervical cancer LNM, and computed tomography, greatly improving the accuracy and specificity of early prediction and diagnosis, improving the efficiency of cervical cancer diagnosis and treatment, helping clinicians make decisions,

**Table 6.** Related research on segmentation of cervical cancer lesions and local staging, as well as diagnosis of cervical cancer LNM on MRI

Author	Publication year	Learning goals	Data set	Method	Bear fruit
Wang et al. [83]	2020	Partition: the prediction of parauterine invasion	There were 137 patients.	SVM model	Training Set AUC T2WI: 0.797 T 2 WI and DWI 0.780 (95% CI) Validation Set T2WI 0.946 (95% CI) T 2 WI and DWI 0.921 (95% CI)
Lin et al. [84]	2020	To evaluate the performance of U-Net in fully automated localization and segmentation of cervical tumors in magnetic resonance (MR) images	There were 169 patients.	U-Net model	Dice coefficient: 82% Sensitivity: 89% Positive prediction: 92%
Wang et al. [85]	2021	Identification and segmentation of cervical cancer lesions	There were 80 patients.	3D-CNN model	Precision:93.11%
Cibi et al. [86]	2022	Local staging of the cervical cancer	The 12,771 pieces of Fig	CapsNet model	Precision:90.28%
Yan et al. [87]	2019	Assisted in the diagnosis of lymph node metastasis	There were 153 patents.	Radiomics model	Accuracy: 78.4% Sensitive: 86.7% Specificity: 75%
Wang et al. [88]	2019	Assisted in the diagnosis of lymph node metastasis	There were 96 patients.	SVM model	C-index: 0.922 (P=3.412*10 <sup>-2</sup> )
Wu et al. [89]	2020	Assisted in the diagnosis of lymph node metastasis	There were 479 patients.	DL model	AUC 0.933 (95% CI)

**Table 7.** Related research on the application of computed tomography in the diagnosis of cervical cancer

Author	Publication year	Learning goals	Case load	Method	Bear fruit
Shen et al. [99]	2019	To achieve early prediction of local and distant failure in patients with locally advanced cervical cancer.	142	CNN	Tumor prediction: sensitivity 71%, and specificity 93%; distant metastasis: sensitivity 77% and specificity 90%
Liu et al. [100]	2021	To realize automatic segmentation of clinical target volume contour of cervical cancer.	CT:237	DpnUNet	Dice similarity coefficient (DSC): 0.88; 95th percentile Hausdorff distance (95HD)3.46mm
Ming et al. [101]	2022	Image registration, multimodal image fusion, and detection of lesion objects.	CT/PET:220	YoloV5	Meverage accuracy above the joint threshold (AP50): 84.3

reducing the workload of physicians and reducing misdiagnosis rates. However, there are still problems such as lack of high-quality clinical data, reliability and stability of models need to be improved. At the same time, issues such as

patient data protection and security also need to be considered. Currently, there is less research on the treatment and prognosis prediction of cervical cancer using artificial intelligence, with greater challenges and research prospects.

## 5 Conclusions

In summary, artificial intelligence has performed well in computer vision and imaging, especially in the medical field, helping clinicians make decisions, reducing the workload of physicians and reducing misdiagnosis rates. Artificial intelligence has achieved good results in early screening, diagnosis and treatment of cervical cancer, and prognosis prediction, improving the specificity and accuracy of screening and diagnosis, and has good applicability. Overall, while improving the specificity and accuracy of screening and diagnosis, it has overcome a series of problems such as time constraints, limited specialists and subjective bias caused by physicians, which will enable cervical cancer screening to be implemented in resource-poor areas, thereby significantly reducing the incidence of cervical cancer.

However, the application of artificial intelligence currently still faces a series of problems such as lack of high-quality clinical data, obstacles in the management of medical data, lack of technical maintenance, reliability and stability of models need to be improved, and models have not yet been promoted in clinical applications. At the same time, the use of artificial intelligence in cervical cancer screening and diagnosis will also involve ethical and privacy issues, such as the protection and security of patient data.

Artificial intelligence has a promising application prospect in cervical cancer screening, especially in cervical cytology screening, where the application of convolutional neural networks (CNN) has been relatively mature. CNN has achieved great success in cell detection, segmentation, classification and region of interest (ROI) extraction [34]. The assistance of related models can greatly improve the detection efficiency of cervical cytology experts. However, segmentation techniques still face many challenges, which may be the direction of future development. Effective segmentation techniques can further improve the accuracy and reliability of artificial intelligence in cervical cancer screening and diagnosis. In addition to early screening and diagnosis, artificial intelligence can also be applied to treatment, prognosis prediction and prevention of cervical cancer, which will also be an important research direction in the future with good application prospects. It is believed that in the future, artificial intelligence will greatly improve the predictive ability of cervical cancer, maximize the improvement of cervical cancer screening and diagnosis, optimize the staging system, improve patient prognosis, and be fully applied to the early diagnosis, treatment and prognosis prediction of cervical cancer.

## Funding

This paper was funded by Baoding Science and Technology Planning Project (Grant No.: 2141ZF306, 2141ZF135); Youth Foundation of Affiliated Hospital of Hebei University (Grant No.: 2022QC54).

## Data Availability

The data used to support the research findings are available from the corresponding author upon request.

## Conflicts of Interest

The authors declare no conflict of interest.

## References

- [1] H. Sung, J. Ferlay, R. L. Siegel, M. Laversanne, I. Soerjomataram, A. Jemal, and F. Bray, "Global cancer statistics 2020: Globocan estimates of incidence and mortality worldwide for 36 cancers in 185 countries," *CA Cancer J. Clin.*, vol. 71, no. 3, pp. 209–249, 2021. <https://doi.org/10.3322/caac.21660>
- [2] M. Brisson, J. J. Kim, K. Canfell, *et al.*, "Impact of HPV vaccination and cervical screening on cervical cancer elimination: A comparative modelling analysis in 78 low-income and lower-middle-income countries," *Lancet*, vol. 395, no. 10224, pp. 575–590, 2020. [https://doi.org/10.1016/s0140-6736\(20\)30068-4](https://doi.org/10.1016/s0140-6736(20)30068-4)
- [3] M. Schiffman, P. E. Castle, J. Jeronimo, A. C. Rodriguez, and S. Wacholder, "Human papillomavirus and cervical cancer," *Lancet*, vol. 370, no. 9590, pp. 890–907, 2007. [https://doi.org/10.1016/s0140-6736\(07\)61416-0](https://doi.org/10.1016/s0140-6736(07)61416-0)
- [4] S. Moradi, "Modelling suggests that high human papilloma virus (HPV) vaccination coverage in combination with high uptake screening can lead to cervical cancer elimination in most low-income and lower-middle-income countries (LMICs) by the end of the century," *Evid.-Based Nurs.*, vol. 24, no. 3, 2020. <https://doi.org/10.1136/ebnurs-2020-103281>
- [5] C. W. E. Redman, V. Kesic, M. E. Cruickshank, *et al.*, "European consensus statement on essential colposcopy," *Eur. J. Obstet. Gynecol. Reprod. Biol.*, vol. 256, pp. 57–62, 2021. <https://doi.org/10.1016/j.ejogrb.2020.06.029>

- [6] F. Bray, J. Ferlay, I. Soerjomataram, R. L. Siegel, L. A. Torre, and A. Jemal, "Global cancer statistics 2018: Globocan estimates of incidence and mortality worldwide for 36 cancers in 185 countries," *CA Cancer J. Clin.*, vol. 68, no. 6, pp. 394–424, 2018. <https://doi.org/10.3322/caac.21492>
- [7] A. Esteva, B. Kuprel, R. A. Novoa, J. Ko, S. M. Swetter, H. M. Blau, and S. Thrun, "Dermatologist-level classification of skin cancer with deep neural networks," *Nature*, vol. 542, no. 7639, pp. 115–118, 2017. <https://doi.org/10.1038/nature21056>
- [8] A. Janowczyk and A. Madabhushi, "Deep learning for digital pathology image analysis: A comprehensive tutorial with selected use cases," *J. Pathol. Inform.*, vol. 7, no. 1, p. 29, 2016. <https://doi.org/10.4103/2153-3539.186902>
- [9] A. Hosny, C. Parmar, J. Quackenbush, L. H. Schwartz, and H. J. Aerts, "Artificial intelligence in cancer imaging: Clinical challenges and applications," *CA Cancer J. Clin.*, vol. 68, no. 2, pp. 127–157, 2018. <https://doi.org/10.3322/caac.21452>
- [10] Y. Yuan, H. Failmezger, M. O. Rueda, *et al.*, "Artificial intelligence for cancer-associated fibroblasts," *J. Am. Med. Inform. Assoc.*, vol. 21, no. 4, pp. 657–665, 2014. <https://doi.org/10.1136/amiajnl-2013-001849>
- [11] A. N. Ramesh, C. Kambhampati, J. R. T. Monson, and P. J. Drew, "Artificial intelligence in medicine," *Ann R Coll Surg Engl.*, vol. 86, pp. 334–338, 2004. <https://doi.org/10.1308/147363504290>
- [12] A. T. Greenhill and B. R. Edmunds, "A primer of artificial intelligence in medicine," *Techn Gastrointest Endosc.*, vol. 22, pp. 85–89, 2020. <http://dx.doi.org/10.1016/j.tgie.2019.150642>
- [13] Amisha, P. Malik, M. Pathania, and V. K. Rathaur, "Overview of artificial intelligence in medicine," *J. Family Med Prim Care*, vol. 8, pp. 2328–2331, 2019. <https://doi.org/10.4103%2Fjfmprc.jfmpc.440.19>
- [14] P. Hamet and J. Tremblay, "Artificial intelligence in medicine," *Metabolism*, vol. 69S, pp. S36–S40, 2017. <https://doi.org/10.1016/j.metabol.2017.01.011>
- [15] P. P. Shinde and S. Shah, "A review of machine learning and deep learning applications," in *2018 Fourth International Conference on Computing Communication Control and Automation (ICCUBEA), Pune, India*, 2018, pp. 1–6. <https://doi.org/10.1109/ICCUBEA.2018.8697857>
- [16] F. Emmert-Streib, Z. Yang, H. Feng, S. Tripathi, and M. Dehmer, "An introductory review of deep learning for prediction models with big data," *Front. Artif. Intell.*, vol. 3, pp. 1–9, 2020. <https://doi.org/10.3389/frai.2020.00004>
- [17] R. Hamamoto, K. Suvarna, M. Yamada, *et al.*, "Application of artificial intelligence technology in oncology: towards the establishment of precision medicine," *Cancers (Basel)*, vol. 12, no. 12, pp. 1–21, 2020. <https://doi.org/10.3390/cancers12123532>
- [18] K. H. Yu, A. L. Beam, and I. S. Kohane, "Artificial intelligence in healthcare," *Nat. Biomed. Eng.*, vol. 2, pp. 719–731, 2018. <https://doi.org/10.1038/s41551-018-0305-z>
- [19] K. Yu, N. Hyun, B. Fetterman, T. Lorey, T. R. Raine-Bennett, H. Zhang, R. E. Stamps, N. E. Poitras, W. Wheeler, B. Befano, J. C. Gage, P. E. Castle, N. Wentzensen, and M. Schiffman, "Automated cervical screening and triage, based on hpv testing and computer-interpreted cytology," *JNCI*, vol. 110, no. 11, pp. 1222–1228, 2018. <https://doi.org/10.1093/jnci/djy044>
- [20] N. Wentzensen, B. Lahrmann, M. A. Clarke *et al.*, "Accuracy and efficiency of deep-learning-based automation of dual stain cytology in cervical cancer screening," *JNCI*, vol. 113, no. 1, pp. 72–79, 2021. <https://doi.org/10.1093/jnci/djaa066>
- [21] L. R. Long, "Introduction to neural networks and deep learning," 2021.
- [22] J. Melnikow, J. T. Henderson, B. U. Burda, C. A. Senger, S. Durbin, and M. S. Weyrich, "Screening for cervical cancer with high-risk human papillomavirus testing: updated evidence report and systematic review for the us preventive services task force," *JAMA*, vol. 320, pp. 687–705, 2018. <https://doi.org/10.1001/jama.2018.10400>
- [23] G. S. Ogilvie, D. van Niekerk, M. Krajden, L. W. Smith, D. Cook, L. Gondara, K. Ceballos, D. Quinlan, M. Lee, R. E. Martin, L. Gentile, S. Peacock, G. C. E. Stuart, E. L. Franco, and A. J. Coldman, "Effect of screening with primary cervical HPV testing vs cytology testing on high-grade cervical intraepithelial neoplasia at 48 months: the HPV focal randomized clinical trial," *JAMA*, vol. 320, pp. 43–52, 2018. <https://doi.org/10.1001/jama.2018.7464>
- [24] "Human papillomavirus-associated cancers-united states, 2004-2008," *MMWR Morb Mortal Wkly Rep.*, 2012.
- [25] P. E. Castle, M. H. Stoler, T. C. J. Wright, A. Sharma, T. L. Wright, and C. M. Behrens, "Performance of carcinogenic human papillomavirus (HPV) testing and HPV16 or HPV18 genotyping for cervical cancer screening of women aged 25 years and older: a subanalysis of the Athena study," *Lancet Oncol.*, vol. 12, no. 9, pp. 880–890, 2011. [https://doi.org/10.1016/s1470-2045\(11\)70188-7](https://doi.org/10.1016/s1470-2045(11)70188-7)
- [26] "Guidelines for cervical cancer prevention and screening," 2016. [http://www.hkco.org.hk/hkco/Download/Cervical\\_Cancer\\_Prevention\\_and\\_Screening\\_revised\\_November\\_2016.pdf](http://www.hkco.org.hk/hkco/Download/Cervical_Cancer_Prevention_and_Screening_revised_November_2016.pdf)

- [27] C. M. Castro, H. Im, H. Lee, M. Avila-Wallace, R. Weissleder, and T. Randall, "Harnessing artificial intelligence and digital diffraction to advance point-of-care HPV 16 and 18 detection," *Gynecol. Oncol.*, vol. 154, p. 38, 2019. <https://doi.org/10.1016/j.ygyno.2019.04.090>
- [28] Y. Miyagi, K. Takehara, Y. Nagayasu, and T. Miyake, "Application of deep learning to the classification of uterine cervical squamous epithelial lesion from colposcopy images combined with HPV types," *Oncol. Lett.*, vol. 19, no. 2, pp. 1602–1610, 2019. <https://doi.org/10.3892/ol.2019.11214>
- [29] G. Bogani, A. Ditto, F. Martinelli, S. Mauroa, C. Valentina, L. R. M. Umberto, T. Francesca, L. Claudia, B. Chiarae, S. Cono, L. Domenica, and R. Francesco, "Artificial intelligence estimates the impact of human papillomavirus types in influencing the risk of cervical dysplasia recurrence: progress toward a more personalized approach," *Eur. J. Cancer Prev.*, vol. 28, no. 2, pp. 81–86, 2018. <https://doi.org/10.1097/cej.0000000000000432>
- [30] X. M. He, T. Huang, T. Wang, H. Du, M. Y. Jiang, and H. Liang, "Analysis of artificial intelligence-assisted cervical cytology screening combined with HPV detection in cervical cancer screening," *Acta Acad. Med. Xuzhou*, vol. 42, pp. 273–278, 2022. <https://doi.org/10.3969/j.issn.2096-3882.2022.04.007>
- [31] A. A. Hashmi, S. Naz, O. Ahmed, S. R. Yaqeen, M. Irfan, M. G. Asif, A. Kamal, and N. Faridi, "Comparison of liquid-based cytology and conventional papanicolaou smear for cervical cancer screening: An experience from Pakistan," *Cureus*, vol. 12, no. 12, 2020. <https://doi.org/10.7759/cureus.12293>
- [32] S. Cox, "Guidelines for papanicolaou test screening and follow-up," *J. Midwifery Womens Health*, vol. 57, no. 1, pp. 86–89, 2012. <https://doi.org/10.1111/j.1542-2011.2011.00116.x>
- [33] P. Phaliwong, P. Pariyawateekul, N. Khuakoonratt, W. Sirichai, K. Bhamarapravata, and K. Suwannarurk, "Cervical cancer detection between conventional and liquid based cervical cytology: A 6-year experience in northern Bangkok Thailand," *Asian Pac. J. Cancer Prev.*, vol. 19, no. 5, pp. 1331–1336, 2018. <https://doi.org/10.22034/apjcp.2018.19.5.1331>
- [34] R. S. Hoda, K. Loukeris, and F. W. Abdul-Karim, "Gynecologic cytology on conventional and liquid-based preparations: A comprehensive review of similarities and differences," *Diagn. Cytopathol.*, vol. 41, no. 3, pp. 257–278, 2013. <https://doi.org/10.1002/dc.22842>
- [35] A. M. Marchevsky and P. Bartels, "Image analysis: A primer for pathologists," 1994.
- [36] D. Saslow, D. Solomon, H. W. Lawson, M. Killackey, S. L. Kulasingam, J. Cain, F. A. Garcia, A. T. Moriarty, A. G. Waxman, and D. C. Wilbur, "American cancer society, American society for colposcopy and cervical pathology, and American society for clinical pathology screening guidelines for the prevention and early detection of cervical cancer," *CA Cancer J. Clin.*, vol. 62, pp. 147–172, 2012. <https://doi.org/10.1097/igt.0b013e31824ca9d5>
- [37] E. Davey, A. Barratt, L. Irwig, S. F. Chan, P. Macaskill, P. Mannes, and A. M. Saville, "Effect of study design and quality on unsatisfactory rates, cytology classifications, and accuracy in liquid-based versus conventional cervical cytology: A systematic review," *Lancet*, vol. 367, no. 9505, pp. 122–132, 2006. [https://doi.org/10.1016/s0140-6736\(06\)67961-0](https://doi.org/10.1016/s0140-6736(06)67961-0)
- [38] A. Gençtav, S. Aksoy, and S. Önder, "Unsupervised segmentation and classification of cervical cell images," *Pattern Recogn.*, vol. 45, no. 12, pp. 4151–4168, 2012. <https://doi.org/10.1016/j.patcog.2012.05.006>
- [39] T. M. Elsheikh, R. M. Austin, D. F. Chhieng, F. S. Miller, A. T. Moriarty, and A. A. Renshaw, "American society of cytopathology workload recommendations for automated pap test screening: Developed by the productivity and quality assurance in the era of automated screening task force," *Diagn. Cytopathol.*, vol. 41, no. 2, pp. 174–178, 2013. <https://doi.org/10.1002/dc.22817>
- [40] R. Lozano, "Comparison of computer-assisted and manual screening of cervical cytology," *Gynecol. Oncol.*, vol. 104, no. 1, pp. 134–138, 2007. <https://doi.org/10.1016/j.ygyno.2006.07.025>
- [41] M. A. Aswathy and M. Jagannath, "Detection of breast cancer on digital histopathology images: Present status and future possibilities," *Inf. Med. Unlocked*, vol. 8, pp. 74–79, 2017. <https://doi.org/10.1016/j.imu.2016.11.001>
- [42] Y. Tan, *GPU-Based Parallel Implementation of Swarm Intelligence Algorithms*. San Mateo, CA, USA: Morgan Kaufmann, 2016. <https://dl.acm.org/doi/10.5555/3033080>
- [43] Y. Y. Song, L. Zhu, J. Qin, B. Y. Lei, B. Sheng, and K. S. Choi, "Segmentation of overlapping cytoplasm in cervical smear images via adaptive shape priors extracted from contour fragments," *IEEE Trans. Med. Imaging*, vol. 38, no. 12, pp. 2849–2862, 2019. <https://doi.org/10.1109/tmi.2019.2915633>
- [44] T. Wan, S. Xu, C. Sang, *et al.*, "Accurate segmentation of overlapping cells in cervical cytology with deep convolutional neural networks," *Neurocomputing*, vol. 365, pp. 157–170, 2019. <https://doi.org/10.1016/j.neucom.2019.06.086>
- [45] C. W. Wang, Y. A. Liou, Y. J. Lin, C. C. Chang, P. H. Chu, Y. C. Lee, C. H. Wang, and T. K. Chao, "Artificial intelligence-assisted fast screening cervical high grade squamous intraepithelial lesion and squamous cell

- carcinoma diagnosis and treatment planning,” *Sci. Rep.*, vol. 11, 2021. <https://doi.org/10.1038/s41598-021-95545-y>
- [46] Y. Zhao, C. Fu, S. Xu, L. Cao, and H. F. Ma, “Lfanet: Lightweight feature attention network for abnormal cell segmentation in cervical cytology images,” *Comput. Biol. Med.*, vol. 145, p. 105500, 2022. <https://doi.org/10.1016/j.compbiomed.2022.105500>
- [47] E. Zawadzka-Gosk, K. Wolk, and W. Czarnowski, “Deep learning in state-of-the-art image classification exceeding 99 percent accuracy,” in *New Knowledge in Information Systems and Technologies. WorldCIST’19 2019. Advances in Intelligent Systems and Computing*. Springer, 2019, pp. 946–957. [https://doi.org/10.1007/978-3-030-16181-1\\_89](https://doi.org/10.1007/978-3-030-16181-1_89)
- [48] P. Wang, J. X. Wang, Y. M. Li, L. Y. Li, and H. H. Zhang, “Adaptive pruning of transfer learned deep convolutional neural network for classification of cervical pap smear images,” *IEEE Access*, vol. 8, pp. 50 674–50 683, 2020. <https://doi.org/10.1109/ACCESS.2020.2979926>
- [49] P. Huang, S. L. Zhang, M. Li, J. Wang, C. L. Ma, B. W. Wang, and X. Y. Lv, “Classification of cervical biopsy images based on lasso and EL-SVM,” *IEEE Access*, vol. 8, pp. 24 219–24 228, 2020. <https://doi.org/10.1109/ACCESS.2020.2970121>
- [50] N. Dong, L. Zhao, C. H. Wu, and J. F. Chang, “Inception v3 based cervical cell classification combined with artificially extracted features,” *Appl. Soft Comput.*, vol. 93, p. 106311, 2020. <https://doi.org/10.1016/j.asoc.2020.106311>
- [51] N. Dong, M. D. Zhai, L. Zhao, and C. H. Wu, “Cervical cell classification based on the cart feature selection algorithm,” *J. Ambient Intell. Humaniz. Comput.*, vol. 12, pp. 1837–1849, 2020. <https://doi.org/10.1007/s12652-020-02256-9>
- [52] S. Liu, Z. Yuan, X. Qiao, Q. Liu, K. Song, B. H. Kong, and X. T. Su, “Light scattering pattern specific convolutional network static cytometry for label-free classification of cervical cells,” *Cytom. Part A*, vol. 99, no. 6, pp. 610–621, 2021. <https://doi.org/10.1002/cyto.a.24349>
- [53] M. Rahaman, C. Li, Y. Yao, F. Kulwa, X. Wu, X. Y. Li, and Q. Wang, “Deepcervix: A deep learning-based framework for the classification of cervical cells using hybrid deep feature fusion techniques,” *Comput. Biol. Med.*, vol. 136, 2021. <https://doi.org/10.1016/j.compbiomed.2021.104649>
- [54] W. Chen, W. M. Shen, L. Gao, and X. Y. Li, “Hybrid loss-constrained lightweight convolutional neural networks for cervical cell classification,” *Sensors*, vol. 22, no. 9, p. 3272, 2022. <http://dx.doi.org/10.3390/s22093272>
- [55] B. J. Cho, J. W. Kim, J. Park, G. Y. Kwon, M. Hong, S. H. Jang, H. Bang, G. Kim, and S. T. Park, “Automated diagnosis of cervical intraepithelial neoplasia in histology images via deep learning,” *Diagnostics*, vol. 12, no. 2, p. 548, 2022. <https://doi.org/10.3390/diagnostics12020548>
- [56] F. Kanavati, N. Hirose, T. Ishii, A. Fukuda, S. Ichihara, and M. Tsuneki, “A deep learning model for cervical cancer screening on liquid-based cytology specimens in whole slide images,” *Cancers*, vol. 14, no. 5, p. 1159, 2022. <https://doi.org/10.3390/cancers14051159>
- [57] O. Yaman and T. Tuncer, “Exemplar pyramid deep feature extraction based cervical cancer image classification model using pap-smear images,” *Biomed. Signal Process. Control*, vol. 73, p. 103428, 2022. <https://doi.org/10.1016/j.bspc.2021.103428>
- [58] M. Khan, C. Werner, T. Darragh, *et al.*, “Asccp colposcopy standards: Role of colposcopy, benefits, potential harms, and terminology for colposcopic practice,” *J. Lower Genit. Tract Dis.*, vol. 21, no. 4, pp. 223–229, 2017. <https://doi.org/10.1097/igt.0000000000000338>
- [59] Y. Miyagi, K. Takehara, and T. Miyake, “Application of deep learning to the classification of uterine cervical squamous epithelial lesion from colposcopy images,” *Mol. Clin. Oncol.*, vol. 11, no. 6, 2019. <https://doi.org/10.3892/mco.2019.1932>
- [60] G. Ogilvie, C. Nakisige, W. Huh, R. Mehrotra, E. Franco, and J. Jeronimo, “Optimizing secondary prevention of cervical cancer: recent advances and future challenges,” *Int. J. Gynaecol. Obstet.*, vol. 138, no. Suppl 1, pp. 15–19, 2017. <https://doi.org/10.1002/ijgo.12187>
- [61] M. Schiffman, J. Doorbar, N. Wentzensen, S. de Sanjose, C. Fakhry, B. J. Monk, M. A. Stanley, and S. Franceschi, “Carcinogenic human papillomavirus infection,” *Nat. Rev. Dis. Primers*, vol. 2, p. 16086, 2016. <https://doi.org/10.1038/nrdp.2016.86>
- [62] F. Zhao and Y. Qiao, “Cervical cancer prevention in China: A key to cancer control,” *Lancet*, vol. 393, no. 10175, pp. 969–970, 2019. [https://doi.org/10.1016/s0140-6736\(18\)32849-6](https://doi.org/10.1016/s0140-6736(18)32849-6)
- [63] W. L. Bi, A. Hosny, M. B. Schabath, *et al.*, “Artificial intelligence in cancer imaging: clinical challenges and applications,” *CA Cancer J. Clin.*, vol. 69, no. 2, pp. 127–157, 2019. <https://doi.org/10.3322/caac.21552>
- [64] C. J. Kelly, A. Karthikesalingam, M. Suleyman, G. Corrado, and D. King, “Key challenges for delivering clinical impact with artificial intelligence,” *BMC Med.*, vol. 17, no. 1, p. 195, 2019. <https://doi.org/10.1186/1186-2746-17-195>

- [65] C. Yuan, Y. Yao, B. Cheng, *et al.*, “The application of deep learning based diagnostic system to cervical squamous intraepithelial lesions recognition in colposcopy images,” *Sci. Rep.*, vol. 10, no. 1, 2020. <https://doi.org/10.1038/s41598-020-68252-3>
- [66] P. Guo, Z. Xue, L. R. Long, and S. Antani, “Cross-dataset evaluation of deep learning networks for uterine cervix segmentation,” *Diagnostics*, vol. 10, no. 1, p. 44, 2020. <http://dx.doi.org/10.3390/diagnostics10010044>
- [67] Z. Yue, S. Ding, X. Li, S. Yang, and Y. Zhang, “Automatic acetowhite lesion segmentation via specular reflection removal and deep attention network,” *IEEE J. Biomed. Health Inform.*, vol. 25, no. 9, pp. 3529–3540, 2021. <https://doi.org/10.1109/jbhi.2021.3064366>
- [68] J. Liu, T. Liang, Y. Peng, G. Peng, L. Sun, L. Li, and H. Dong, “Segmentation of acetowhite region in uterine cervical image based on deep learning,” *Technol. Health Care*, vol. 30, no. 2, pp. 469–482, 2022. <https://doi.org/10.3233/thc-212890>
- [69] V. Kudva, K. Prasad, and S. Guruvare, “Hybrid transfer learning for classification of uterine cervix images for cervical cancer screening,” *J. Digit. Imaging*, vol. 33, pp. 619–631, 2020. <https://doi.org/10.1007/s10278-019-00269-1>
- [70] C. Buiu, V. R. Dănilă, and C. N. Răduță, “Mobilenetv2 ensemble for cervical precancerous lesions classification,” *Processes*, vol. 8, no. 5, p. 595, 2020. <https://doi.org/10.3390/pr8050595>
- [71] S. K. Saini, V. Bansal, R. Kaur, and M. Juneja, “Colponet for automated cervical cancer screening using colposcopy images,” *Mach. Vis. Appl.*, vol. 31, p. 15, 2020. <https://link.springer.com/article/10.1007/s00138-020-01063-8>
- [72] Y. M. Luo, T. Zhang, P. Li, P. M. Sun, B. H. Dong, and G. Ruan, “Mdfi: Multi-cnn decision feature integration for diagnosis of cervical precancerous lesions,” *IEEE Access*, pp. 29 616–29 626, 2020. <https://doi.org/10.1109/ACCESS.2020.2972610>
- [73] Y. Yu, J. Ma, W. D. Zhao, Z. M. Li, and S. Ding, “Msci: A multistate dataset for colposcopy image classification of cervical cancer screening,” *Int. J. Med. Inform.*, vol. 146, no. 1, p. 104352, 2020. <https://doi.org/10.1016/j.ijmedinf.2020.104352>
- [74] K. Adweb, N. Cavus, and B. Sekeroglu, “Cervical cancer diagnosis using very deep networks over different activation functions,” *IEEE Access*, vol. 9, pp. 46 612–46 625, 2021. <https://doi.org/10.1109/ACCESS.2021.3067195>
- [75] Y. R. Park, Y. J. Kim, W. Ju, K. Nam, S. Kim, and K. G. Kim, “Comparison of machine and deep learning for the classification of cervical cancer based on cervicography images,” *Sci. Rep.*, vol. 11, 2021. <https://doi.org/10.1038/s41598-021-95748-3>
- [76] L. Liu, Y. Wang, X. L. Liu, S. Han, L. Jia, L. H. Meng, Z. Y. Yang, W. Chen, Y. Z. Zhang, and X. Qiao, “Computer-aided diagnostic system based on deep learning for classifying colposcopy images,” *Ann. Transl. Med.*, vol. 9, no. 13, 2021. <https://doi.org/10.21037/atm-21-885>
- [77] C. Bourgioti, K. Chatoupis, and L. Mouloupoulos, “Current imaging strategies for the evaluation of uterine cervical cancer,” *World J. Radiol.*, vol. 8, no. 4, 2016. <https://doi.org/10.4329/wjr.v8.i4.342>
- [78] S. H. Choi, S. H. Kim, H. J. Choi, B. K. Park, and H. J. Lee, “Preoperative magnetic resonance imaging staging of uterine cervical carcinoma: Results of prospective study,” *J. Comput. Assist. Tomogr.*, vol. 28, no. 5, pp. 620–627, 2004. <https://doi.org/10.1097/01.rct.0000138007.77725.0a>
- [79] H. Hricak, C. Gatsonis, D. S. Chi, M. A. Amendola, K. Brandt, L. H. Schwartz, S. Koelliker, E. S. Siegelman, J. J. Brown, R. B. McGhee Jr, R. Iyer, K. M. Vitellas, B. Snyder, H. J. Long III, J. V. Fiorica, and D. G. Mitchell, “Role of imaging in pretreatment evaluation of early invasive cervical cancer: Results of the intergroup study american college of radiology imaging network 6651-gynecologic oncology group 183,” *J. Clin. Oncol.*, vol. 23, no. 36, pp. 9329–9337, 2005. <https://doi.org/10.1200/jco.2005.02.0354>
- [80] J. Merz, M. Bossart, F. Bamberg, and M. Eisenblaetter, “Revised figo staging for cervical cancer - a new role for MRI,” *Rofo*, vol. 192, no. 10, pp. 937–944, 2020. <https://doi.org/10.1055/a-1198-5729>
- [81] P. Cohen, A. Jhingran, A. Oaknin, and L. Denny, “Cervical cancer,” *Lancet*, vol. 393, no. 10167, pp. 169–182, 2019. [https://doi.org/10.1016/S0140-6736\(18\)32470-X](https://doi.org/10.1016/S0140-6736(18)32470-X)
- [82] E. Kim and X. Huang, “A data driven approach to cervigram image analysis and classification,” in *Lecture Notes in Computational Vision and Biomechanics*. Netherlands: Springer, Netherlands: Springer, 2013, pp. 1–13. [https://doi.org/10.1007/978-94-007-5389-1\\_1](https://doi.org/10.1007/978-94-007-5389-1_1)
- [83] T. Wang, T. Gao, H. Guo, X. B. Zhou, J. Tian, L. Y. Huang, and M. Zhang, “Preoperative prediction of parametrial invasion in early-stage cervical cancer with mri-based radiomics nomogram,” *Eur. Radiol.*, vol. 30, no. 3, 2020. <https://doi.org/10.1007/s00330-019-06655-1>
- [84] Y. Lin, C. Lin, H. Y. Lu, H. J. Chiang, H. K. Wang, Y. T. Huang, S. H. Ng, J. H. Hong, T. C. Yen, C. H. Lai, and G. G. Lin, “Deep learning for fully automated tumor segmentation and extraction of magnetic



- resonance radiomics features in cervical cancer,” *Eur. Radiol.*, vol. 30, no. 3, pp. 1297–1305, 2019. <https://doi.org/10.1007/s00330-019-06467-3>
- [85] B. Wang, Y. Y. Zhang, C. Y. Wu, and F. Wang, “Multimodal MRI analysis of cervical cancer on the basis of artificial intelligence algorithm,” *Contrast Media Mol. Imaging*, vol. 2021, 2021. <https://doi.org/10.1155/2021/1673490>
- [86] A. Cibi and R. J. Rose, “Classification of stages in cervical cancer MRI by customized CNN and transfer learning,” *Cogn. Neurodyn.*, vol. 2022, pp. 1–9, 2022. <https://doi.org/10.1007/s11571-021-09777-9>
- [87] Y. Yan, T. Yu, R. Zhang, R. T. Dong, Q. Y. Hu, T. Yu, F. Liu, Y. H. Luo, and Y. Dong, “Feasibility of an ADC-based radiomics model for predicting pelvic lymph node metastases in patients with stage IB–IIA cervical squamous cell carcinoma,” *Br. J. Radiol.*, vol. 2019, 2019. <https://doi.org/10.1259/bjr.20180986>
- [88] T. Wang, T. T. Gao, J. B. Yang, X. J. Yan, Y. B. Wang, X. B. Zhou, J. Tian, L. Y. Huang, and M. Zhang, “Preoperative prediction of pelvic lymph nodes metastasis in early-stage cervical cancer using radiomics nomogram developed based on T2-weighted MRI and diffusion-weighted imaging,” *Eur. J. Radiol.*, vol. 114, pp. 128–135, 2019. <https://doi.org/10.1016/j.ejrad.2019.01.003>
- [89] Q. X. Wu, S. Wang, S. X. Zhang, *et al.*, “Development of a deep learning model to identify lymph node metastasis on magnetic resonance imaging in patients with cervical cancer,” *JAMA Netw. Open*, vol. 3, no. 7, p. e2011625, 2020. <https://doi.org/10.1001/jamanetworkopen.2020.11625>
- [90] P. Xue, C. Tang, Q. Li, *et al.*, “Development and validation of an artificial intelligence system for grading colposcopic impressions and guiding biopsies,” *BMC Med.*, vol. 18, no. 1, p. 406, 2020. <https://doi.org/10.1186/s12916-020-01860-y>
- [91] N. Bhatla, J. S. Berek, M. C. Fredes, *et al.*, “Revised figo staging for carcinoma of the cervix uteri,” *Int. J. Gynaecol. Obstet.*, vol. 145, no. 1, pp. 129–135, 2019. <https://doi.org/10.1002/ijgo.12749>
- [92] J. Guiot, A. Vaidyanathan, L. Deprez *et al.*, “A review in radiomics: Making personalized medicine a reality via routine imaging,” *Med. Res. Rev.*, vol. 42, no. 1, pp. 426–440, 2022. <https://doi.org/10.1002/med.21846>
- [93] C. Marth, F. Landoni, S. Mahner, M. McCormack, A. Gonzalez-Martin, and N. Colombo, “Cervical cancer: Esmo clinical practice guidelines for diagnosis, treatment and follow-up,” *Ann. Oncol.*, vol. 28, pp. iv72–iv83, 2017. <https://doi.org/10.1093/annonc/mdx220>
- [94] M. A. Gold, “Pet in cervical cancer-implications for staging, treatment planning, assessment of prognosis, and prediction of response,” *J. Natl. Compr. Canc. Netw.*, vol. 6, no. 1, pp. 37–45, 2008. <https://doi.org/10.6004/jnccn.2008.0004>
- [95] Y. LeCun, Y. Bengio, and G. Hinton, “Deep learning,” *Nature*, vol. 521, no. 7553, pp. 436–444, 2015. <https://doi.org/10.1038/nature14539>
- [96] B. Ma, X. Yin, D. Wu, H. Shen, X. Ban, and Y. Wang, “End-to-end learning for simultaneously generating decision map and multi-focus image fusion result,” *Neurocomputing*, vol. 470, pp. 204–216, 2022. <https://doi.org/10.1016/j.neucom.2021.10.115>
- [97] S. Anwar, M. Majid, A. Qayyum, M. Awais, M. Alnowami, and S. Khan, “Medical image analysis using convolutional neural networks: A review,” *J. Med. Syst.*, vol. 42, pp. 1–13, 2018. <https://doi.org/10.1007/s10916-018-1088-1>
- [98] D. S. Kermany, M. Goldbaum, W. J. Cai, *et al.*, “Identifying medical diagnoses and treatable diseases by image-based deep learning,” *Cell*, vol. 172, no. 5, pp. 1122–1131, 2018. <https://doi.org/10.1016/j.cell.2018.02.010>
- [99] W. C. Shen, S. W. Chen, K. C. Wu, T. C. Hsieh, J. A. Liang, Y. C. Hung, L. S. Yeh, W. C. Chang, W. C. Lin, K. Y. Yen, and C. H. Kao, “Prediction of local relapse and distant metastasis in patients with definitive chemoradiotherapy-treated cervical cancer by deep learning from [18f]-fluorodeoxyglucose positron emission tomography/computed tomography,” *SSRN*, 2018. <http://dx.doi.org/10.2139/ssrn.3292576>
- [100] Z. Liu, W. Chen, H. Guan, *et al.*, “An adversarial deep-learning-based model for cervical cancer CTV segmentation with multicenter blinded randomized controlled validation,” *Front. Oncol.*, vol. 11, p. 702270, 2021. <https://doi.org/10.3389/fonc.2021.702270>
- [101] Y. Ming, X. Dong, J. Zhao, Z. Chen, H. Wang, and N. Wu, “Deep learning-based multimodal image analysis for cervical cancer detection,” *Methods*, vol. 205, pp. 46–52, 2022. <https://doi.org/10.1016/j.ymeth.2022.05.004>