

Tracking SARS-CoV-2 mutations and variants through the COG-UK-Mutation Explorer

Derek W. Wright,¹ William T. Harvey,^{1,†} Joseph Hughes,^{1,‡} MacGregor Cox,² Thomas P Peacock,³ Rachel Colquhoun,^{4,§} Ben Jackson,^{4,**} Richard Orton,^{1,††} Morten Nielsen,^{5,‡‡} Nienyun Sharon Hsu,⁶ The COVID-19 Genomics UK (COG-UK) consortium,⁷ Ewan M. Harrison,^{2,8,9} Thushan I de Silva,⁶ Andrew Rambaut,^{4,§§} Sharon J. Peacock,^{2,***} David L. Robertson,^{1,†††} and Alessandro M. Carabelli^{2,*,†††}

¹MRC-University of Glasgow Centre for Virus Research, University of Glasgow, Garscube Campus, 464 Bearsden Road, Glasgow G61 1QH, UK, ²Department of Medicine, University of Cambridge, Addenbrookes Hospital, Hills Road, Cambridge CB2 0QQ, UK, ³Department of Infectious Disease, St Mary's Medical School, Imperial College London, Praed Street, London, Westminster W2 1NY, UK, ⁴Institute of Evolutionary Biology, University of Edinburgh, Charlotte Auerbach Road, Edinburgh EH9 3FL, UK, ⁵Department of Health Technology, Technical University of Denmark, Lyngby DK-2800, Denmark, ⁶The Florey Institute for Host-Pathogen Interactions and Department of Infection, Immunity and Cardiovascular Disease, Medical School, University of Sheffield, Beech Hill Road, Sheffield S10 2RX, UK, ⁷<https://www.cogconsortium.uk>, Full list of consortium names and affiliations are in [Appendix 1](#), ⁸Wellcome Sanger Institute, Wellcome Genome Campus, Hinxton CB10 1SA, UK and ⁹Department of Public Health and Primary Care, University of Cambridge, Worts Causeway, Cambridge CB1 8RN, UK

[†]<https://orcid.org/0000-0001-9529-1127>

^{††}<https://orcid.org/0000-0003-2556-2563>

[‡]<https://orcid.org/0000-0002-5577-9897>

^{‡‡}<https://orcid.org/0000-0002-9981-0649>

[§]<https://orcid.org/0000-0002-3389-4325>

^{§§}<https://orcid.org/0000-0001-7885-4311>

^{***}<https://orcid.org/0000-0003-4337-3707>

^{†††}<https://orcid.org/0000-0001-6338-0221>

^{*}<https://orcid.org/0000-0003-3625-4021>

*Corresponding authors: E-mail: [david.l.robertson@glasgow.ac.uk](mailto: david.l.robertson@glasgow.ac.uk); [amc257@medsch.cam.ac.uk](mailto: amc257@medsch.cam.ac.uk)

Abstract

COG-UK Mutation Explorer (COG-UK-ME, <https://sars2.cvr.gla.ac.uk/cog-uk/>—last accessed date 16 March 2022) is a web resource that displays knowledge and analyses on SARS-CoV-2 virus genome mutations and variants circulating in the UK, with a focus on the observed amino acid replacements that have an antigenic role in the context of the human humoral and cellular immune response. This analysis is based on more than 2 million genome sequences (as of March 2022) for UK SARS-CoV-2 data held in the CLIMB-COVID centralised data environment. COG-UK-ME curates these data and displays analyses that are cross-referenced to experimental data collated from the primary literature. The aim is to track mutations of immunological importance that are accumulating in current variants of concern and variants of interest that could alter the neutralising activity of monoclonal antibodies (mAbs), convalescent sera, and vaccines. Changes in epitopes recognised by T cells, including those where reduced T cell binding has been demonstrated, are reported. Mutations that have been shown to confer SARS-CoV-2 resistance to antiviral drugs are also included. Using visualisation tools, COG-UK-ME also allows users to identify the emergence of variants carrying mutations that could decrease the neutralising activity of both mAbs present in therapeutic cocktails, e.g. Ronapreve. COG-UK-ME tracks changes in the frequency of combinations of mutations and brings together the curated literature on the impact of those mutations on various functional aspects of the virus and therapeutics. Given the unpredictable nature of SARS-CoV-2 as exemplified by yet another variant of concern, Omicron, continued surveillance of SARS-CoV-2 remains imperative to monitor virus evolution linked to the efficacy of therapeutics.

Key words: SARS-CoV-2; COVID-19; virus; spike; protein structure; antibody escape; antigenic variation; mutation; amino acid replacements; variants of concern; evasion; resistance; fitness; evolution.

1. Introduction

As of March 2022, SARS-CoV-2, the causative agent of COVID-19, has accounted for over 450 million infections and 6 million deaths worldwide (<https://covid19.who.int/>). SARS-CoV-2 was first identified at the end of 2019 in the city of Wuhan, China, and has since spread with unprecedented efficiency among humans ([Hu et al. 2021](#)). In contrast to other RNA viruses, the *Coronaviridae* family is characterised by relatively high-replication fidelity due to the

proofreading activity of their polymerases ([Robson et al. 2020](#)). Early analyses of SARS-CoV-2 genomes estimated an evolutionary rate of around 0.001 subs/site/year (two to three mutations per month) ([Duchene et al. 2020](#)); however, there is much deviation from this rate across the phylogeny with several outlier lineages, including variants of concern (VOCs), that have rapidly acquired several mutations at a much higher rate than this. The analysis of mutations from virus genome data is important for basic virology

(Houldcroft et al. 2017), to identify evolutionary signals associated with mutations prior to experimental and real-world data on clinical outcomes or vaccine effectiveness, and to document and track changes that could alter the effectiveness of therapeutics. At present, almost 9 million genome sequences are now available via the GISAID Initiative, permitting near real-time surveillance of the unfolding pandemic (Shu and McCauley 2017; Meredith et al. 2020).

SARS-CoV-2 showed relatively inconsequential genetic change until late 2020 (MacLean et al. 2021). Subsequently, later months of 2020 were characterised by the emergence, across the globe, of VOCs possessing mutations that altered virus phenotype in terms of transmissibility and antigenicity (Harvey et al. 2021). Concurrently, shifts in the immune profile of the human population likely represented a change in the selective environment evidenced by an increase in dN/dS ratios indicative at positive selection at codons across the genome and notable levels of convergence across the global phylogeny (Martin et al. 2021). The continuing emergence of SARS-CoV-2 variants exhibiting heightened transmissibility or antigenic novelty necessitates tools to detect, describe, and track those antigenic changes and make this information accessible to researchers, public health agencies, and drug and vaccine developers so that the information becomes actionable.

Since the beginning of the pandemic, several bioinformatics tools have been developed to analyse and generate outputs that support actionable information (e.g. Pangolin lineages <https://covid-lineages.org/index.html>; <https://filogeneti.ca/covizu/>; <https://outbreak.info>; COVID-19 CG <https://covidcg.org>; <https://coval.ccpem.ac.uk/>; CoV-GLUE <http://cov-glue.cvr.gla.ac.uk>, <https://nextstrain.org>; and <https://covariants.org>—last accessed date: 16 March 2022). Although these tools have been essential for data curation, analysis research, and public health impact (Hufsky et al. 2021), they have been mainly focusing on the epidemiological aspects of the pandemic, lacking the relevant information from the literature on the immunological effect of mutations.

This scientific need led us to create the COG-UK-Mutation Explorer (COG-UK-ME), a web resource that provides tracking of non-synonymous mutations in SARS-CoV-2 genome. COG-UK-ME is based on UK data, and it has been developed by the COVID-19 Genomics UK (COG-UK) consortium—created to deliver large-scale and rapid whole-genome virus sequencing to local National Health Service centres and the UK government. COG-UK-ME relies on CLIMB-COVID, a data-centric bioinformatics environment for centralising UK SARS-CoV-2 sequences (Nicholls et al. 2021a). Here, we describe COG-UK-ME and its main functionality. COG-UK-ME currently has around 5,000 users per month, with approximately 30 per cent from the UK, 20 per cent from the USA, and the remainder from other international locations.

COG-UK-ME has three aims: first, to make available amino acid mutations in a user-friendly way, enabling data transparency; second, to report on amino acid variation present in SARS-CoV-2 sequences that have been shown to confer resistance against antibodies or disrupt T cell epitope binding. The third is to report on the emergence of new mutations that have the potential to reduce the effectiveness of some therapeutics that have been granted approval for use. Data accumulating over a time course can be analysed so that trends can be detected and tracked.

2. Data analysis

COG-UK-ME is a publicly accessible web resource that displays in-depth information and analyses of SARS-COV-2 virus genome

mutations and variants. Sequence information is deposited daily on the MRC CLIMB-COVID platform (Nicholls et al. 2021a), which has been generated by the COG-UK Consortium, Wellcome Sanger Institute, public health agencies, and other approved providers. Virus lineages are assigned by using a phylogenetic framework to identify those lineages that contribute most to active spread (Rambaut et al. 2020; O'Toole et al. 2021). Mutations for UK sequences are then analysed on the CLIMB platform and linked with curated data on antigenicity, therapeutics, and drug resistance. The prepared data files are then transferred from CLIMB to a web server and visualised.

2.1 Tracking changes in the mutation count

COG-UK-ME shows a browsable dataset of all the amino acid sequence variations in SARS-CoV-2 protein sequences. These are shown for all data, and in the recent past—over the last 28 days—in the UK and in the four UK nations (England, Scotland, Wales, and Northern Ireland) ('Mutation Counts' and 'Mutations by week' tabs). The 'VOCs and VUIs in the UK' tab shows through tables and visualisations the number of sequences of variants under investigation (VUI) and VOCs as designated by the UK Health Security Agency (formerly Public Health England) (<https://www.gov.uk/government/publications/covid-19-variants-genomically-confirmed-case-numbers/variants-distribution-of-cases-data>—last accessed date: 16 March 2022) (Fig. 1A). COG-UK-ME also provides visualisations of the spike protein structure showing the position of the VOC-defining mutations (Fig. 1B). Data are also placed in their geographical context by showing the number of sequences and percentage of variants per region (Nomenclature of Territorial Units for Statistics—NUTS1) ('Geographical distribution' tab).

2.2 Spike profile tracking

In addition to tracking the frequency of individual substitutions across the genome and of lineages identified as VOCs or VUIs, changes in the frequency of combinations of spike amino acid substitutions are tracked. Each spike profile is defined as the combination of substitutions compared with the original genotype (Wuhan-Hu-1). Profiles may represent monophyletic lineages or they may have arisen convergently across the phylogeny. Changes in profile frequency over the latest 56-day period are considered. For currently circulating profiles (those sampled within the latest 7 days), a sortable and searchable table includes information on the pango lineage(s) for which the profile has been associated, the number of substitutions comprising the profile, and the count of sequences across the latest 56-day and 28-day periods. The average growth rate (plotted on the y-axis in Fig. 2A) is calculated as the mean percentage change in frequency between each 2-week period within the 56-day period. As growth rates are sensitive to potentially stochastic changes at very low frequencies, we also calculate a statistic that estimates recent expansion or contraction of each profile, calculated over the 56-day period (plotted on the y-axis in Fig. 2B). For each profile, i , the absolute value for this statistic, X_i , is calculated using the observed frequency, O_{ij} , of each profile, i , in each of the most recent 2-week periods, j , according to

$$X_i = \sum \frac{(O_{ij} - E_i)^2}{E_i}$$

where E_i is the frequency of profile i over the full 8-week period under consideration. Thus, the value calculated is influenced by both the rate of change in profile frequency and the overall frequencies of a given profile and is more robust to stochastic




Figure 1. (A) Frequency plot showing the number of SARS-CoV-2 sequences per week for VOCs Alpha, Delta, Delta-AY4.2, Omicron BA.1 and BA.2, and 'other' pre-VOC variants (see key) in the UK. The light grey box covering the two most recent weeks indicates a period in which sequence counts are low due to a lag (Figure S1). (B) Spike protein structure showing locations of Delta- and Omicron-specific spike mutations. Ectodomain of the spike homotrimer in open conformation with individual spike protein chains shown in different colours. On each monomer, highlighted spheres show the locations of amino acid substitutions, deletions (Δ), or insertions (ins) that distinguish the Omicron (BA.1) variant, relative to the original genotype (Wuhan-Hu-1). These are annotated on the monomer with an 'up' receptor-binding domain where they are highlighted in red on teal. The substitution D614G, which is shared by common descent by all lineage B.1 descendants is italicised. The visualisation is made using a complete spike model (Woo et al. 2020), which is in turn based upon a partial cryo-EM structure (RCSB Protein Data Bank (PDB) ID: 6VSB (Wrapp et al. 2020)).

differences in profile frequency that tend to occur at low frequencies.

This monitoring of spike profiles allows the detection of emerging, potentially advantageous, spikes that might not be detected by surveillance methods conditioned on mutations previously determined to be noteworthy through experimentation or other means. This simple approach is complementary to more sophisticated phylogenetic approaches for the estimation of lineage-specific growth rates. One advantage of this simple

non-phylogenetic approach is that the convergent accumulation of a substitution or combination of substitutions on a particular background is identified. Such a scenario could arise when there is strong selective pressure on a genotype (e.g. the introduction of a therapeutic). For example, this approach would quickly alert to the growth of a profile such as Delta + E484K emerging convergently across the Delta phylogeny in response to within-host, immune-mediated selection, even if the instances of this profile are interspersed across the phylogeny.



Figure 2. Spike profiles sampled within 7 days of the latest UK sequence are summarised. Each spike profile is a set of amino acid substitutions listed relative to the original genotype (Wuhan-Hu-1). Figure prepared with data compiled on 27 February 2022 with a most recent sequence date of 24 February 2022. A) Points represent spike profiles positioned by the number of sequences in the latest 28-day period and the average growth rate calculated over the latest 56-day period. Points are coloured by an expansion/contraction statistic that takes both the rate of change in frequency and the overall frequencies of a profile into account. The cursor is hovering to show information associated with BA.2 + P1162L. B) Points represent spike profiles positioned by the number of sequences in the latest 28-day period and the expansion/contraction statistic used to colour points in **A**. Here, points are coloured to show profiles associated with Delta, Omicron (BA.1/BA.1.x), and Omicron (BA.2) variants. The cursor is again positioned to highlight the position of BA.2 + P1162L. The plot has been zoomed to focus on profiles with 28-day counts between 100 and 1,000. C) Searchable table sorted to show the four profiles in the UK with the highest values in the expansion/contraction column. Further columns show profile numbers in the latest 28- and 56-day periods and average growth rate.

2.3 Antigenic changes

The 'Antigenic changes' tab shows a table listing all mutations in the spike protein present in the UK sequence dataset that have individually been associated with some significant degree of weaker virus neutralisation by convalescent plasma, post-vaccination sera, or SARS-CoV-2 spike-specific mAbs (referred to as 'Escape mutations' in Fig. 3). Alongside links to the associated literature for each substitution, a confidence score representing the weight of evidence associated with each substitution is shown: 'high', whenever the antigenic role of mutation is supported by multiple studies, including at least one that reports an effect observed with (post-infection serum) convalescent plasma; 'medium', if the antigenic role of the mutation is supported by multiple studies; and 'low', when the mutation is supported by a single study (Fig. 3). In the 'VOCs + Antigenicity' tab, COG-UK-ME reports the occurrence of additional amino acid substitutions or deletions linked to antigenic change within each VOC (Fig. 4). Relative proportions (expressed as percentages) of sequences carrying

specific mutations can give information about the antigenic diversity within a VOC lineage.

2.4 T cell epitope mutations

Similar to the 'Antigenic changes' tab, the 'T cell epitope mutations' tab shows amino acid replacements in experimentally proven T cell epitopes both in spike and in other proteins, which have been described in the literature. Data are further filtered based on experimental studies just defining T cell epitopes ('Epitope studies') or those reporting on the impact of specific mutations on T cell recognition ('Reduced T cell recognition'). Also shown are predicted antigen presentation likelihood percentile rank values to the experimentally proposed HLA restriction element based on the NetMHCpan (CD8) and NetMHCIIpan (CD4) 4.1 algorithms (<https://services.healthtech.dtu.dk/service.php?NetMHCpan-4.1> and <https://services.healthtech.dtu.dk/service.php?NetMHCIIpan-4.0>—last accessed date: 16 March 2022)




Figure 3. Amino acid substitutions in the spike protein identified in the UK dataset (referred to as ‘Escape mutations’) that have been associated with weaker neutralisation of the virus by convalescent or post-vaccination plasma/serum or spike-specific monoclonal antibodies (mAbs) or that have been observed to emerge upon exposure to either mAbs or plasma in laboratory experiments.

*High confidence (red) refers to an antigenic role supported by multiple studies, including at least one that reports an effect observed with (post-infection serum) convalescent plasma; ‘medium’ (orange), if the antigenic role is supported by multiple studies; and ‘low’ (yellow), when the mutation is supported by a single study. The boxes above the table enable filtering by multiple criteria.

(Reynisson et al. 2020) for both the wild-type and mutant peptide variants. Here, peptides with predicted percentile rank scores of less than 2.0 for CD8 and less than 5.0 for CD4 are likely HLA binders. Amino acid replacements in any epitope are visualised through logo plots, in which each letter represents an amino acid replacement present in a specific epitope, and its height represents residue frequency. The number below the sequence logo shows the position relative to the start position of the epitope.

2.5 Drug resistance

The ‘Drug resistance’ and ‘Ronapreve’ tabs show tables and visualisations for those mutations associated with the resistance of SARS-CoV-2 to antiviral treatments (e.g. Remdesivir) and therapeutic mAb cocktails that are currently used in clinical settings (e.g. Ronapreve, cocktail of *casirivimab* and *imdevimab*) (Beigel et al. 2020; Sidebottom and Gill 2021). The UpSet plot in the Ronapreve tab allows users to track amino acid substitutions known to affect either *casirivimab* or *imdevimab* mAbs and in combination (Fig. 5). Other therapeutics will be added in the future.

3. Concluding remarks

Bioinformatics resources such as COG-UK-ME play an important role by providing clear and accessible information to those who are tackling the pandemic, including through public health actions and the development of vaccines and therapeutics. COG-UK-ME is unique in presenting data from a densely sequenced population with an emphasis on publicly available data (bioproject accession PRJEB37886 and public alignments <https://www.cogconsortium.uk/tools-analysis/public-data-analysis-2/>—last accessed date: 16 March 2022). COG-UK-ME also brings together curated literature on the impact of

mutations on various functional aspects of the virus. The COG-UK-ME interface allows users to track mutations that are a potential threat based on a phenotypic impact on virus biology or by conferring resistance to the human immune response, including that boosted by vaccines or antiviral drugs. Rapid analyses of VOCs, e.g. the accumulation of any mutation, can also be obtained from the COG-UK-ME interface. Of particular interest to researchers and for therapeutics are mutations that either have an antigenic role or affect T cell binding. These mutations are intensely monitored by researchers and Public Health Agencies to identify any new variant that could escape the immunity generated by vaccines. Timely identification of VOC/VUI samples can facilitate access to clinical specimens to isolate live virus and serum for further immunological evaluation.

Although amino acid sequence analyses are not sufficient to determine the functional effect of a single mutation on SARS-CoV-2 fitness when taken in isolation, COG-UK-ME strives to collate all the available literature on SARS-CoV-2 mutations and provides data to support experiments that investigate the change in phenotype that these mutations might confer on variants.

4. Methods

Throughout COG-UK-ME, Wuhan-Hu-1 (NCBI RefSeq NC_045512) is used as the reference sequence for nucleotide coordinates, codon numbering within viral proteins, and wild-type amino acid assignments. Sequences are regularly uploaded onto the MRC-CLIMB platform. Sequences with quality issues are excluded. Amino acid replacements and in-frame indels in each sequence are identified (Nicholls et al. 2021a).

Source code is available at <https://github.com/wrightdw/COG-UK-ME> (last accessed date: 16 March 2022).




Figure 4. Heatmap showing the frequency of spike amino acid substitutions and a deletion with a potential or confirmed antigenic role on top of BA.2 through time. The labelled structural domains are indicated on the left side: SP, signal peptide; NTD, N-terminal domain; RBD, receptor-binding domain; RBM, receptor-binding motif; S2, subunit; FP, fusion peptide. Residues are also coloured according to the class of antibody that binds to an epitope. RBD antibody Classes 1–4 (Barnes et al. 2020) are depicted by colours: green (Class 1: ACE2 blocking, bind open RBD only), yellow (Class 2: ACE2 blocking, bind open, and closed RBD), blue (Class 3: non-ACE2 blocking, bind open, and closed RBD), or yellow (Class 4: non-ACE2 blocking, bind open RBD only). Residues described in an NTD epitope (Chi et al. 2020) are coloured in magenta (Class 5). Each residue is also classified as having evidence for mutations either affecting neutralisation by mAbs (Baum et al. 2020; Li et al. 2020; Weisblum et al. 2020; Liu et al. 2021) or serum from previously infected individuals (convalescent plasma) (Li et al. 2020; Weisblum et al. 2020; Andreano et al. 2021; Greaney et al. 2021; Liu et al. 2021) or vaccinated individuals (Wang et al. 2021) and emerging upon exposure to mAbs (Baum et al. 2020; Weisblum et al. 2020; Liu et al. 2021) or plasma (Weisblum et al. 2020; Andreano et al. 2021) in laboratory experiments.

4.1 Data preparation

Sequence metadata files are processed on the CLIMB-COVID platform (Nicholls et al. 2021a) using the R statistical programming language (Team 2021) and the Tidyverse collection of R packages (Wickham et al. 2019). Non-UK sequences are filtered

out. Amino acid replacements and reference amino acids are counted for all times and for a 28-day period up to and including the latest sequence date for the UK and the four UK nations. Counts are linked with data on antigenic changes, data on therapeutics, epitope data and predicted epitope binding percentile




Figure 5. UpSet plot showing the counts of mutations affecting Ronapreve constituent mAbs that have occurred individually and in combinations (Lex et al. 2014). Occurrence is shown in the full UK SARS-CoV-2 genome sequence dataset (A) and in a dataset compiled of sequences in the latest 28-day period (B). Spike amino acid substitutions known to affect either casirivimab or imdevimab mAbs were considered. The upper histogram shows the number of sequences per mutation (dots) or combination of mutations (lines), and the bottom left histogram presents the number of sequences with each specific substitution. Rows are coloured according to the mAb to which the greatest fold decrease in binding was recorded (blue = casirivimab, orange = imdevimab), with a lighter shade indicating a fold decrease of less than 100 and darker shade indicating 100 or greater.

rank values. Counts of all amino acids across all positions in the spike protein are prepared for the visualisation of sequence logos.

PANGO lineage name aliases are resolved to the full lineage names using the current designations at <https://github.com/cov-lineages/pango-designation> (last accessed date: 16 March 2022). VOC and VUI lineages are counted by day and by week for the UK and the four UK nations, counting AY.x sub-lineages within the Delta VOC hierarchically. VOC lineages are also counted by

week and by geographic region according to the 12 Nomenclature of Territorial Units for Statistics first-level regions of the UK (NUTS1). Antigenic amino acid replacements and deletions in the spike protein are counted for VOC lineages, excluding lineage defining replacements, as defined by the UK Health Security Agency at https://github.com/phe-genomics/variant_definitions (last accessed date: 16 March 2022). Following data preparation, the resultant data files are transferred from CLIMB to a web server for visualisation.

4.2 Literature search

We searched PubMed, LitCovid, BioRxiv, and MedRxiv using the search term ‘SARS-CoV-2’ combined with ‘mAbs’, ‘monoclonal’, ‘convalescent’, ‘neutralisation/neutralization’, ‘epitope’, and ‘antibody’ for studies published from January 2020 to July 2021 and manually searched the references of select articles for additional relevant articles (Figure S2). We also searched BioRxiv, and MedRxiv using combinations of the search terms: ‘COVID19’, ‘COVID-19’, ‘SARS-CoV-2’, ‘remdesivir’, ‘favipiravir’, ‘molnupiravir’, ‘nirmatrelvir’, ‘ritonavir’, ‘paxlovid’, ‘antiviral’, ‘binding’, ‘efficacy’, ‘effective’, ‘resistance’, ‘resistant’, ‘sensitivity’, ‘inhibit’, ‘evasion’, ‘mutation’, and ‘variant’. Results reporting on SARS-CoV-2 mutations that cause resistance to antiviral drugs were recorded and published on the dashboard. This included many different types of assays and studies: neutralisation assays, receptor binding assays, clinical efficacy studies, transcriptional inhibition assays, and in silico indications of resistance. Antiviral drugs are included in the review if they are clinically approved somewhere in the world or are in Stage 3 clinical trials. This search is repeated each week, allowing the timely updating of the dashboard when new research arises.

4.3 Data visualisation

The Shiny framework is used to create the COG-UK-ME web application, hosted in the Shiny Server environment (Chang et al. 2021). In order to maximise performance across multiple concurrent users, most values are pre-computed in the data preparation process on CLIMB, with the web application focussing on data visualisation.

The bar charts for VOC lineages and mutations, the geographical maps of VOC lineages, and the scatter plot of spike profiles are generated using *ggplot2*, with interactive features added using *Plotly* (2015). The heatmap of antigenic changes in the spike protein is generated using the *ComplexHeatmap* package (Gu et al. 2016), antigenic replacements, and structural domain classifications. Amino acid replacements in epitopes are visualised as sequence logos using the *ggseqlogo* package (Wagih 2017). UpSet plots for mutations affecting Ronapreve are generated using the *UpsetR* package (Lex et al. 2014; Conway et al. 2017). The web application user interface is created using the *shinydashboard* (Chang and Ribeiro 2021), *shinydashboardPlus* (Granjon 2021), *shinyWidgets* (Perrier et al. 2021), and *shinyjs* packages (Attali 2020).

For the visualisations of the VOC spike mutations on the structure, the file 6vsb_1_1_1.pdb containing a complete model of the full-length glycosylated spike homotrimer in open conformation with one monomer having the receptor-binding domain in the ‘up’ position was obtained from the CHARMM-GUI Archive (Woo et al. 2020; CHARMM-GUI Archive, 2021). This model is itself generated based upon a partial spike cryo-EM structure (PDB ID: 6VSB (Wrapp et al. 2020)). For visualisation, the model was trimmed to the ectodomain (Residues 14–1164) and the signal peptide (Residues 1–13) and glycans were removed. Figures were prepared using PyMol (Schrödinger-LLC 2010).

Supplementary data

Supplementary data is available at *Virus Evolution* online.

Acknowledgements

COG-UK-ME is enabled by data from COG-UK and MRC-CLIMB. All UK data are available in GISAID, and we thank all sequence generators for rapid data-sharing. We also acknowledge Omar Wagih

for his support with his *ggseqlogo* sequence logo package used for visualising mutations in epitopes.

Funding

COG-UK is supported by funding from the Medical Research Council (MRC) part of UK Research & Innovation (UKRI), the National Institute of Health Research (NIHR) (MC_PC_19027), and Genome Research Limited, operating as the Wellcome Sanger Institute. W.T.H. and T.P.P. are supported by the G2P-UK National Virology Consortium (MR/W005611/1) and W.T.H. by the MRC (MR/R024758/1). D.L.R., D.W., and J.H. are funded by the MRC (MC_UU_12014/12) and D.L.R. by the Wellcome Trust (220977/Z/20/Z).

Conflict of interest: None declared.

References

- Andreano, E. et al. (2021) ‘SARS-CoV-2 Escape from a Highly Neutralizing COVID-19 Convalescent Plasma’, *Proceedings of the National Academy of Sciences*, 118: e2103154118.
- Attali, D. (2020), *Shinyjs: Easily Improve the User Experience of Your Shiny Apps in Seconds* <<https://CRAN.R-project.org/package=shinyjs>> accessed 16 Mar 2022.
- Barnes, C. O. et al. (2020) ‘SARS-CoV-2 Neutralizing Antibody Structures Inform Therapeutic Strategies’, *Nature*, 588: 682–7.
- Baum, A. et al. (2020) ‘Antibody Cocktail to SARS-CoV-2 Spike Protein Prevents Rapid Mutational Escape Seen with Individual Antibodies’, *Science*, 369: 1014–8.
- Beigel, J. H. et al. (2020) ‘Remdesivir for the Treatment of Covid-19 — Final Report’, *New England Journal of Medicine*, 383: 1813–26.
- Chang, W. et al. (2021), *Shiny: Web Application Framework for R* <<https://CRAN.R-project.org/package=shiny>> accessed 16 Mar 2022.
- Chang, W., and Ribeiro, B. B. (2021), *Shinydashboard: Create Dashboards with ‘Shiny’* <<https://CRAN.R-project.org/package=shinydashboard>> accessed 16 Mar 2022.
- CHARMM-GUI Archive. (2021), *COVID-19 Proteins Library* <<https://charmm-gui.org/?doc=archive&lib=covid19%202021>> accessed 16 Mar 2022.
- Chi, X. et al. (2020) ‘A Neutralizing Human Antibody Binds to the N-terminal Domain of the Spike Protein of SARS-CoV-2’, *Science (New York, N.Y.)*, 369: 650–5.
- Conway, J. R. et al. (2017) ‘UpSetR: An R Package for the Visualization of Intersecting Sets and Their Properties’, *Bioinformatics*, 33: 2938–40.
- Duchene, S. et al. (2020) ‘Temporal Signal and the Phylodynamic Threshold of SARS-CoV-2’, *Virus Evolution*, 6: veaa061.
- Granjon, D. (2021). ‘shinydashboardPlus: Add More “AdminLTE2” Components to “shinydashboard”’.
- Greaney, A. J. et al. (2021) ‘Comprehensive Mapping of Mutations in the SARS-CoV-2 Receptor-binding Domain that Affect Recognition by Polyclonal Human Plasma Antibodies’, *Cell Host & Microbe*, 29: 463–76.e466.
- Gu, Z. et al. (2016) ‘Complex Heatmaps Reveal Patterns and Correlations in Multidimensional Genomic Data’, *Bioinformatics*, 32: 2847–9.
- Harvey, W. T. et al. (2021) ‘SARS-CoV-2 Variants, Spike Mutations and Immune Escape’, *Nature Reviews. Microbiology*, 19: 409–24.
- Houldcroft, C. J. et al. (2017) ‘Clinical and Biological Insights from Viral Genome Sequencing’, *Nature Reviews. Microbiology*, 15: 183–92.

- Hu, B. et al. (2021) 'Characteristics of SARS-CoV-2 and COVID-19', *Nature Reviews. Microbiology*, 19: 141–54.
- Hufsky, F. et al. (2021) 'Computational Strategies to Combat COVID-19: Useful Tools to Accelerate SARS-CoV-2 and Coronavirus Research', *Briefings in Bioinformatics*, 22: 642–63.
- Lex, A. et al. (2014) 'UpSet: Visualization of Intersecting Sets', *IEEE Transactions on Visualization and Computer Graphics*, 20: 1983–92.
- Li, Q. et al. (2020) 'The Impact of Mutations in SARS-CoV-2 Spike on Viral Infectivity and Antigenicity', *Cell*, 182: 1284–94.e1289.
- Liu, Z. et al. (2021) 'Identification of SARS-CoV-2 Spike Mutations that Attenuate Monoclonal and Serum Antibody Neutralization', *Cell Host & Microbe*, 29: 477–88.e474.
- MacLean, O. A. et al. (2021) 'Natural Selection in the Evolution of SARS-CoV-2 in Bats Created a Generalist Virus and Highly Capable Human Pathogen', *PLoS Biology*, 19: e3001115.
- Martin, D. P. et al. (2021) 'The Emergence and Ongoing Convergent Evolution of the SARS-CoV-2 N501Y Lineages', *Cell*, 184: 5189–200.e5187.
- Meredith, L. W. et al. (2020) 'Rapid Implementation of SARS-CoV-2 Sequencing to Investigate Cases of Health-care Associated COVID-19: A Prospective Genomic Surveillance Study', *The Lancet Infectious Diseases*, 20: 1263–72.
- Nicholls, S. M. et al. (2021) 'CLIMB-COVID: Continuous Integration Supporting Decentralised Sequencing for SARS-CoV-2 Genomic Surveillance', *Genome Biology*, 22: 196.
- O'Toole, Á. et al. (2021) 'Assignment of Epidemiological Lineages in an Emerging Pandemic Using the Pangolin Tool', *Virus Evolution*, 7: veab064.
- Perrier, V. et al. (2021). 'shinyWidgets: Custom Inputs Widgets for Shiny'.
- Plotly Technologies Inc. (2015), *Collaborative Data Science* <<https://plot.ly>> accessed 16 Mar 2022.
- Rambaut, A. et al. (2020) 'A Dynamic Nomenclature Proposal for SARS-CoV-2 Lineages to Assist Genomic Epidemiology', *Nature Microbiology*, 5: 1403–7.
- Reynisson, B. et al. (2020) 'NetMHCpan-4.1 And NetMHCIIpan-4.0: Improved Predictions of MHC Antigen Presentation by Concurrent Motif Deconvolution and Integration of MS MHC Eluted Ligand Data', *Nucleic Acids Research*, 48: W449–54.
- Robson, F. et al. (2020) 'Coronavirus RNA Proofreading: Molecular Basis and Therapeutic Targeting', *Molecular Cell*, 79: 710–27.
- Schrödinger-LLC (2010) *The PyMOL Molecular Graphics System* <<https://www.pymol.org/>> accessed 16 Mar 2022.
- Shu, Y., and McCauley, J. (2017) 'GISAID: Global Initiative on Sharing All Influenza Data - from Vision to Reality', *Euro Surveillance : Bulletin European Sur Les Maladies Transmissibles = European Communicable Disease Bulletin*, 22: 30494.
- Sidebottom, D. B., and Gill, D. (2021) 'Ronapreve for Prophylaxis and Treatment of Covid-19', *BMJ*, 374: n2136.
- Team, R. C. (2021) *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria <<https://www.R-project.org/>> accessed 16 Mar 2022.
- Wagih, O. (2017) 'Ggseqlogo: A Versatile R Package for Drawing Sequence Logos', *Bioinformatics*, 33: 3645–7.
- Wang, Z. et al. (2021) 'mRNA Vaccine-elicited Antibodies to SARS-CoV-2 and Circulating Variants', *Nature*, 592: 616–22.
- Weisblum, Y. et al. (2020) 'Escape from Neutralizing Antibodies by SARS-CoV-2 Spike Protein Variants', *eLife*, 9: e61312.
- Wickham, H. et al. (2019) 'Welcome to the Tidyverse', *Journal of Open Source Software*, 4: 1686.
- Woo, H. et al. (2020) 'Developing a Fully Glycosylated Full-Length SARS-CoV-2 Spike Protein Model in a Viral Membrane', *The Journal of Physical Chemistry. B*, 124: 7128–37.
- Wrapp, D. et al. (2020) 'Cryo-EM Structure of the 2019-nCoV Spike in the Prefusion Conformation', *Science*, 367: 1260–3.

Appendix

The COVID-19 Genomics UK (COG-UK) consortium June 2021 V.1

Funding acquisition, Leadership and supervision, Metadata curation, Project administration, Samples and logistics, Sequencing and analysis, Software and analysis tools, and Visualisation:

Dr Samuel C Robson^{13, 84}

Funding acquisition, Leadership and supervision, Metadata curation, Project administration, Samples and logistics, Sequencing and analysis, and Software and analysis tools:

Dr Thomas R Connor^{11, 74} and Prof Nicholas J Loman⁴³

Leadership and supervision, Metadata curation, Project administration, Samples and logistics, Sequencing and analysis, Software and analysis tools, and Visualisation:

Dr Tanya Golubchik⁵

Funding acquisition, Leadership and supervision, Metadata curation, Samples and logistics, Sequencing and analysis, and Visualisation:

Dr Rocio T Martinez Nunez⁴⁶

Funding acquisition, Leadership and supervision, Project administration, Samples and logistics, Sequencing and analysis, and Software and analysis tools:

Dr David Bonsall⁵

Funding acquisition, Leadership and supervision, Project administration, Sequencing and analysis, Software and analysis tools, and Visualisation:

Prof Andrew Rambaut¹⁰⁴

Funding acquisition, Metadata curation, Project administration, Samples and logistics, Sequencing and analysis, and Software and analysis tools:

Dr Luke B Snell¹²

Leadership and supervision, Metadata curation, Project administration, Samples and logistics, Software and analysis tools, and Visualisation:

Rich Livett¹¹⁶

Funding acquisition, Leadership and supervision, Metadata curation, Project administration, and Samples and logistics:

Dr Catherine Ludden^{20, 70}

Funding acquisition, Leadership and supervision, Metadata curation, Samples and logistics, and Sequencing and analysis:

Dr Sally Corden⁷⁴ and Dr Eleni Nastouli^{96, 95, 30}

Funding acquisition, Leadership and supervision, Metadata curation, Sequencing and analysis, and Software and analysis tools:

Dr Gaia Nebbia¹²

Funding acquisition, Leadership and supervision, Project administration, Samples and logistics, and Sequencing and analysis:

Ian Johnston ¹¹⁶

Leadership and supervision, Metadata curation, Project administration, Samples and logistics, and Sequencing and analysis:

Prof Katrina Lythgoe ⁵, Dr M. Estee Torok ^{19, 20} and Prof Ian G Goodfellow ²⁴

Leadership and supervision, Metadata curation, Project administration, Samples and logistics, and Visualisation:

Dr Jacqui A Prieto ^{97, 82} and Dr Kordo Saeed ^{97, 83}

Leadership and supervision, Metadata curation, Project administration, Sequencing and analysis, and Software and analysis tools:

Dr David K Jackson ¹¹⁶

Leadership and supervision, Metadata curation, Samples and logistics, Sequencing and analysis, and Visualisation:

Dr Catherine Houlihan ^{96, 94}

Leadership and supervision, Metadata curation, Sequencing and analysis, Software and analysis tools, and Visualisation:

Dr Dan Frampton ^{94, 95}

Metadata curation, Project administration, Samples and logistics, Sequencing and analysis, and Software and analysis tools:

Dr William L Hamilton ¹⁹ and Dr Adam A Witney ⁴¹

Funding acquisition, Samples and logistics, Sequencing and analysis, and Visualisation:

Dr Giselda Bucca ¹⁰¹

Funding acquisition, Leadership and supervision, Metadata curation, and Project administration:

Dr Cassie F Pope ^{40, 41}

Funding acquisition, Leadership and supervision, Metadata curation, and Samples and logistics:

Dr Catherine Moore ⁷⁴

Funding acquisition, Leadership and supervision, Metadata curation, and Sequencing and analysis:

Prof Emma C Thomson ⁵³

Funding acquisition, Leadership and supervision, Project administration, and Samples and logistics:

Dr Ewan M Harrison ^{116, 102}

Funding acquisition, Leadership and supervision, Sequencing and analysis, and Visualisation:

Prof Colin P Smith ¹⁰¹

Leadership and supervision, Metadata curation, Project administration, and Sequencing and analysis:

Fiona Rogan ⁷⁷

Leadership and supervision, Metadata curation, Project administration, and Samples and logistics:

Shaun M Beckwith ⁶, Abigail Murray ⁶, Dawn Singleton ⁶, Dr Kirstine Eastick ³⁷, Dr Liz A Sheridan ⁹⁸, Paul Randell ⁹⁹, Dr Leigh M Jackson ¹⁰⁵, Dr Cristina V Ariani ¹¹⁶ and Dr Sónia Gonçalves ¹¹⁶

Leadership and supervision, Metadata curation, Samples and logistics, and Sequencing and analysis:

Dr Derek J Fairley ^{3, 77}, Prof Matthew W Loose ¹⁸ and Joanne Watkins ⁷⁴

Leadership and supervision, Metadata curation, Samples and logistics, and Visualisation:

Dr Samuel Moses ^{25, 106}

Leadership and supervision, Metadata curation, Sequencing and analysis, and Software and analysis tools:

Dr Sam Nicholls ⁴³, Dr Matthew Bull ⁷⁴ and Dr Roberto Amato ¹¹⁶

Leadership and supervision, Project administration, Samples and logistics, and Sequencing and analysis:

Prof Darren L Smith ^{36, 65, 66}

Leadership and supervision, Sequencing and analysis, Software and analysis tools, and Visualisation:

Prof David M Aanensen ^{14, 116} and Dr Jeffrey C Barrett ¹¹⁶

Metadata curation, Project administration, Samples and logistics, and Sequencing and analysis:

Dr Dinesh Aggarwal ^{20, 116, 70}, Dr James G Shepherd ⁵³, Dr Martin D Curran ⁷¹ and Dr Surendra Parmar ⁷¹

Metadata curation, Project administration, Sequencing and analysis, and Software and analysis tools:

Dr Matthew D Parker ¹⁰⁹

Metadata curation, Samples and logistics, Sequencing and analysis, and Software and analysis tools:

Dr Catryn Williams ⁷⁴

Metadata curation, Samples and logistics, Sequencing and analysis, and Visualisation:

Dr Sharon Glaysher ⁶⁸

Metadata curation, Sequencing and analysis, Software and analysis tools, and Visualisation:

Dr Anthony P Underwood ^{14, 116}, Dr Matthew Bashton ^{36, 65}, Dr Nicole Pacchiarini ⁷⁴, Dr Katie F Loveson ⁸⁴ and Matthew Byott ^{95, 96}

Project administration, Sequencing and analysis, Software and analysis tools, and Visualisation:

Dr Alessandro M Carabelli ²⁰

Funding acquisition, Leadership and supervision, and Metadata curation:

Dr Kate E Templeton ^{56, 104}

Funding acquisition, Leadership and supervision, and Project administration:

Dr Thushan I de Silva ¹⁰⁹, Dr Dennis Wang ¹⁰⁹, Dr Cordelia F Langford ¹¹⁶ and John Sillitoe ¹¹⁶

Funding acquisition, Leadership and supervision, and Samples and logistics:

Prof Rory N Gunson ⁵⁵

Funding acquisition, Leadership and supervision, and Sequencing and analysis:

Dr Simon Cottrell ⁷⁴, Dr Justin O'Grady ^{75, 103} and Prof Dominic Kwiatkowski ^{116, 108}

Leadership and supervision, Metadata curation, and Project administration:

Dr Patrick J Lillie ³⁷

Leadership and supervision, Metadata curation, and Samples and logistics:

Dr Nicholas Cortes ³³, Dr Nathan Moore ³³, Dr Claire Thomas ³³, Phillipa J Burns ³⁷, Dr Tabitha W Mahungu ⁸⁰ and Steven Liggett ⁸⁶

Leadership and supervision, Metadata curation, and Sequencing and analysis:

Angela H Beckett^{13, 81} and Prof Matthew TG Holden⁷³

Leadership and supervision, Project administration, and Samples and logistics:

Dr Lisa J Levett³⁴, Dr Husam Osman^{70, 35} and Dr Mohammed O Hassan-Ibrahim⁹⁹

Leadership and supervision, Project administration, and Sequencing and analysis:

Dr David A Simpson⁷⁷

Leadership and supervision, Samples and logistics, and Sequencing and analysis:

Dr Meera Chand⁷², Prof Ravi K Gupta¹⁰², Prof Alistair C Darby¹⁰⁷ and Prof Steve Paterson¹⁰⁷

Leadership and supervision, Sequencing and analysis, and Software and analysis tools:

Prof Oliver G Pybus²³, Dr Erik M Volz³⁹, Prof Daniela de Angelis⁵², Prof David L Robertson⁵³, Dr Andrew J Page⁷⁵ and Dr Inigo Martincorena¹¹⁶

Leadership and supervision, Sequencing and analysis, and Visualisation:

Dr Louise Aigrain¹¹⁶ and Dr Andrew R Bassett¹¹⁶

Metadata curation, Project administration, and Samples and logistics:

Dr Nick Wong⁵⁰, Dr Yusri Taha⁸⁹, Michelle J Erkiert⁹⁹ and Dr Michael H Spencer Chapman^{116, 102}

Metadata curation, Project administration, and Sequencing and analysis:

Dr Rebecca Dewar⁵⁶ and Martin P McHugh^{56, 111}

Metadata curation, Project administration, and Software and analysis tools:

Siddharth Mookerjee^{38, 57}

Metadata curation, Project administration, and Visualisation:

Stephen Aplin⁹⁷, Matthew Harvey⁹⁷, Thea Sass⁹⁷, Dr Helen Umpleby⁹⁷ and Helen Wheeler⁹⁷

Metadata curation, Samples and logistics, and Sequencing and analysis:

Dr James P McKenna³, Dr Ben Warne⁹, Joshua F Taylor²², Yasmin Chaudhry²⁴, Rhys Izuagbe²⁴, Dr Aminu S Jahun²⁴, Dr Gregory R Young^{36, 65}, Dr Claire McMurray⁴³, Dr Clare M McCann^{65, 66}, Dr Andrew Nelson^{65, 66} and Scott Elliott⁶⁸

Metadata curation, Samples and logistics, and Visualisation:

Hannah Lowe²⁵

Metadata curation, Sequencing and analysis, and Software and analysis tools:

Dr Anna Price¹¹, Matthew R Crown⁶⁵, Dr Sara Rey⁷⁴, Dr Sunando Roy⁹⁶ and Dr Ben Temperton¹⁰⁵

Metadata curation, Sequencing and analysis, and Visualisation:

Dr Sharif Shaaban⁷³ and Dr Andrew R Hesketh¹⁰¹

Project administration, Samples and logistics, and Sequencing and analysis:

Dr Kenneth G Laing⁴¹, Dr Irene M Monahan⁴¹ and Dr Judith Heaney^{95, 96, 34}

Project administration, Samples and logistics, and Visualisation:

Dr Emanuela Pelosi⁹⁷, Siona Silveira⁹⁷ and Dr Eleri Wilson-Davies⁹⁷

Samples and logistics, Software and analysis tools, and Visualisation:

Dr Helen Fryer⁵

Sequencing and analysis, Software and analysis tools, and Visualization:

Dr Helen Adams⁴, Dr Louis du Plessis²³, Dr Rob Johnson³⁹, Dr William T Harvey^{53, 42}, Dr Joseph Hughes⁵³, Dr Richard J Orton⁵³, Dr Lewis G Spurgin⁵⁹, Dr Yann Bourgeois⁸¹, Dr Chris Ruis¹⁰², Aine O'Toole¹⁰⁴, Marina Gourtovaia¹¹⁶ and Dr Theo Sanderson¹¹⁶

Funding acquisition, and Leadership and supervision:

Dr Christophe Fraser⁵, Dr Jonathan Edgeworth¹², Prof Judith Breuer^{96, 29}, Dr Stephen L Mitchell¹⁰⁵ and Prof John A Todd¹¹⁵

Funding acquisition, and Project administration:

Michaela John¹⁰ and Dr David Buck¹¹⁵

Leadership and supervision, and Metadata curation:

Dr Kavitha Gajee³⁷ and Dr Gemma L Kay⁷⁵

Leadership and supervision, and Project administration:

Prof Sharon J Peacock^{20, 70} and David Heyburn⁷⁴

Leadership and supervision, and Samples and logistics:

Katie Kitchman³⁷, Prof Alan McNally^{43, 93}, David T Pritchard⁵⁰, Dr Samir Dervisevic⁵⁸, Dr Peter Muir⁷⁰, Dr Esther Robinson^{70, 35}, Dr Barry B Vipond⁷⁰, Newara A Ramadan⁷⁸, Dr Christopher Jeanes⁹⁰, Danni Weldon¹¹⁶, Jana Catalan¹¹⁸ and Neil Jones¹¹⁸

Leadership and supervision, and Sequencing and analysis:

Dr Ana da Silva Filipe⁵³, Dr Chris Williams⁷⁴, Marc Fuchs⁷⁷, Dr Julia Miskelly⁷⁷, Dr Aaron R Jeffries¹⁰⁵, Karen Oliver¹¹⁶ and Dr Naomi R Park¹¹⁶

Metadata curation, and Samples and logistics:

Amy Ash¹, Cherian Koshy¹, Magdalena Barrow⁷, Dr Sarah L Buchan⁷, Dr Anna Mantzouratou⁷, Dr Gemma Clark¹⁵, Dr Christopher W Holmes¹⁶, Sharon Campbell¹⁷, Thomas Davis²¹, Ngee Keong Tan²², Dr Julianne R Brown²⁹, Dr Kathryn A Harris^{29, 2}, Stephen P Kidd³³, Dr Paul R Grant³⁴, Dr Li Xu-McCrae³⁵, Dr Alison Cox^{38, 63}, Pinglawathee Madona^{38, 63}, Dr Marcus Pond^{38, 63}, Dr Paul A Randell^{38, 63}, Karen T Withell⁴⁸, Cheryl Williams⁵¹, Dr Clive Graham⁶⁰, Rebecca Denton-Smith⁶², Emma Swindells⁶², Robyn Turnbull⁶², Dr Tim J Sloan⁶⁷, Dr Andrew Bosworth^{70, 35}, Stephanie Hutchings⁷⁰, Hannah M Pymont⁷⁰, Dr Anna Casey⁷⁶, Dr Liz Ratcliffe⁷⁶, Dr Christopher R Jones^{79, 105}, Dr Bridget A Knight^{79, 105}, Dr Tanzina Haque⁸⁰, Dr Jennifer Hart⁸⁰, Dr Dianne Irish-Tavares⁸⁰, Eric Witele⁸⁰, Craig Mower⁸⁶, Louisa K Watson⁸⁶, Jennifer Collins⁸⁹, Gary Eltringham⁸⁹, Dorian Crudgington⁹⁸, Ben Macklin⁹⁸, Prof Miren Iturriza-Gomara¹⁰⁷, Dr Anita O Lucaci¹⁰⁷ and Dr Patrick C McClure¹¹³

Metadata curation, and Sequencing and analysis:

Matthew Carlile¹⁸, Dr Nadine Holmes¹⁸, Dr Christopher Moore¹⁸, Dr Nathaniel Storey²⁹, Dr Stefan Rooke⁷³, Dr Gonzalo Yebra⁷³, Dr Noel Craine⁷⁴, Malorie Perry⁷⁴, Dr Nabil-Fareed Alikhan⁷⁵, Dr Stephen Bridgett⁷⁷, Kate F Cook⁸⁴, Christopher Fearn⁸⁴, Dr Salman Goudarzi⁸⁴, Prof Ronan A Lyons⁸⁸, Dr Thomas Williams¹⁰⁴, Dr Sam T Haldenby¹⁰⁷, Jillian Durham¹¹⁶ and Dr Steven Leonard¹¹⁶

Metadata curation, and Software and analysis tools:Robert M Davies ¹¹⁶**Project administration, and Samples and logistics:**

Dr Rahul Batra ¹², Beth Blane ²⁰, Dr Moira J Spyer ^{30, 95, 96}, Perminder Smith ^{32, 112}, Mehmet Yavus ^{85, 109}, Dr Rachel J Williams ⁹⁶, Dr Adhyana IK Mahanama ⁹⁷, Dr Buddhini Samaraweera ⁹⁷, Sophia T Girgis ¹⁰², Samantha E Hansford ¹⁰⁹, Dr Angie Green ¹¹⁵, Dr Charlotte Beaver ¹¹⁶, Katherine L Bellis ^{116, 102}, Matthew J Dorman ¹¹⁶, Sally Kay ¹¹⁶, Liam Prestwood ¹¹⁶ and Dr Shavanthi Rajatileka ¹¹⁶

Project administration, and Sequencing and analysis:Dr Joshua Quick ⁴³**Project administration, and Software and analysis tools:**Radoslaw Poplawski ⁴³**Samples and logistics, and Sequencing and analysis:**

Dr Nicola Reynolds ⁸, Andrew Mack ¹¹, Dr Arthur Morriss ¹¹, Thomas Whalley ¹¹, Bindi Patel ¹², Dr Iliana Georgana ²⁴, Dr Myra Hosmillo ²⁴, Malte L Pinckert ²⁴, Dr Joanne Stockton ⁴³, Dr John H Henderson ⁶⁵, Amy Hollis ⁶⁵, Dr William Stanley ⁶⁵, Dr Wen C Yew ⁶⁵, Dr Richard Myers ⁷², Dr Alicia Thornton ⁷², Alexander Adams ⁷⁴, Tara Annett ⁷⁴, Dr Hibo Asad ⁷⁴, Alec Birchley ⁷⁴, Jason Coombes ⁷⁴, Johnathan M Evans ⁷⁴, Laia Fina ⁷⁴, Bree Gatica-Wilcox ⁷⁴, Lauren Gilbert ⁷⁴, Lee Graham ⁷⁴, Jessica Hey ⁷⁴, Ember Hilvers ⁷⁴, Sophie Jones ⁷⁴, Hannah Jones ⁷⁴, Sara Kumziene-Summerhayes ⁷⁴, Dr Caoimhe McKerr ⁷⁴, Jessica Powell ⁷⁴, Georgia Pugh ⁷⁴, Sarah Taylor ⁷⁴, Alexander J Trotter ⁷⁵, Charlotte A Williams ⁹⁶, Leanne M Kermack ¹⁰², Benjamin H Foulkes ¹⁰⁹, Marta Gallis ¹⁰⁹, Hailey R Hornsby ¹⁰⁹, Stavroula F Louka ¹⁰⁹, Dr Manoj Pohare ¹⁰⁹, Paige Wolverson ¹⁰⁹, Peijun Zhang ¹⁰⁹, George MacIntyre-Cockett ¹¹⁵, Amy Trebes ¹¹⁵, Dr Robin J Moll ¹¹⁶, Lynne Ferguson ¹¹⁷, Dr Emily J Goldstein ¹¹⁷, Dr Alasdair Maclean ¹¹⁷ and Dr Rachael Tomb ¹¹⁷

Samples and logistics, and Software and analysis tools:Dr Igor Starinskij ⁵³**Sequencing and analysis, and Software and analysis tools:**

Laura Thomson ⁵, Joel Southgate ^{11, 74}, Dr Moritz UG Kraemer ²³, Dr Jayna Raghwan ²³, Dr Alex E Zarebski ²³, Olivia Boyd ³⁹, Lily Geidelberg ³⁹, Dr Chris J Illingworth ⁵², Dr Chris Jackson ⁵², Dr David Pascall ⁵², Dr Sreenu Vattipally ⁵³, Timothy M Freeman ¹⁰⁹, Dr Sharon N Hsu ¹⁰⁹, Dr Benjamin B Lindsey ¹⁰⁹, Dr Keith James ¹¹⁶, Kevin Lewis ¹¹⁶, Gerry Tonkin-Hill ¹¹⁶ and Dr Jaime M Tovar-Corona ¹¹⁶

Sequencing and analysis, and Visualisation:MacGregor Cox ²⁰**Software and analysis tools, and Visualisation:**

Dr Khalil Abudahab ^{14, 116}, Mirko Menegazzo ¹⁴, Ben EW Taylor MEng ^{14, 116}, Dr Corin A Yeats ¹⁴, Afrida Mukaddas ⁵³, Derek W Wright ⁵³, Dr Leonardo de Oliveira Martins ⁷⁵, Dr Rachel Colquhoun ¹⁰⁴, Verity Hill ¹⁰⁴, Dr Ben Jackson ¹⁰⁴, Dr JT McCrone ¹⁰⁴, Dr Nathan Medd ¹⁰⁴, Dr Emily Scher ¹⁰⁴ and Jon-Paul Keatley ¹¹⁶

Leadership and supervision:

Dr Tanya Curran ³, Dr Sian Morgan ¹⁰, Prof Patrick Maxwell ²⁰, Prof Ken Smith ²⁰, Dr Sahar Eldirdiri ²¹, Anita Kenyon ²¹, Prof Alison H Holmes ^{38, 57}, Dr James R Price ^{38, 57}, Dr Tim Wyatt ⁶⁹, Dr Alison E Mather ⁷⁵, Dr Timofey Skvortsov ⁷⁷ and Prof John A Hartley ⁹⁶

Metadata curation:

Prof Martyn Guest ¹¹, Dr Christine Kitchen ¹¹, Dr Ian Merrick ¹¹, Robert Munn ¹¹, Dr Beatrice Bertolusso ³³, Dr Jessica Lynch ³³, Dr Gabrielle Vernet ³³, Stuart Kirk ³⁴, Dr Elizabeth Wastnedge ⁵⁶, Dr Rachael Stanley ⁵⁸, Giles Idle ⁶⁴, Dr Declan T Bradley ^{69, 77}, Dr Jennifer Poyner ⁷⁹ and Matilde Mori ¹¹⁰

Project administration:

Owen Jones ¹¹, Victoria Wright ¹⁸, Ellena Brooks ²⁰, Carol M Churcher ²⁰, Mireille Fragakis ²⁰, Dr Katerina Galai ^{20, 70}, Dr Andrew Jermy ²⁰, Sarah Judges ²⁰, Georgina M McManus ²⁰, Kim S Smith ²⁰, Dr Elaine Westwick ²⁰, Dr Stephen W Attwood ²³, Dr Frances Bolt ^{38, 57}, Dr Alisha Davies ⁷⁴, Elen De Lacy ⁷⁴, Fatima Downing ⁷⁴, Sue Edwards ⁷⁴, Lizzie Meadows ⁷⁵, Sarah Jeremiah ⁹⁷, Dr Nikki Smith ¹⁰⁹ and Luke Foulser ¹¹⁶

Samples and logistics:

Dr Themoula Charalampous ^{12, 46}, Amita Patel ¹², Dr Louise Berry ¹⁵, Dr Tim Boswell ¹⁵, Dr Vicki M Fleming ¹⁵, Dr Hannah C Howson-Wells ¹⁵, Dr Amelia Joseph ¹⁵, Manjinder Khakh ¹⁵, Dr Michelle M Lister ¹⁵, Paul W Bird ¹⁶, Karlie Fallon ¹⁶, Thomas Helmer ¹⁶, Dr Claire L McMurray ¹⁶, Mina Odedra ¹⁶, Jessica Shaw ¹⁶, Dr Julian W Tang ¹⁶, Nicholas J Willford ¹⁶, Victoria Blakey ¹⁷, Dr Veena Raviprakash ¹⁷, Nicola Sheriff ¹⁷, Lesley-Anne Williams ¹⁷, Theresa Feltwell ²⁰, Dr Luke Bedford ²⁶, Dr James S Cargill ²⁷, Warwick Hughes ²⁷, Dr Jonathan Moore ²⁸, Susanne Stonehouse ²⁸, Laura Atkinson ²⁹, Jack CD Lee ²⁹, Dr Divya Shah ²⁹, Adela Alcolea-Medina ^{32, 112}, Natasha Ohemeng-Kumi ^{32, 112}, John Ramble ^{32, 112}, Jasveen Sehmi ^{32, 112}, Dr Rebecca Williams ³³, Wendy Chatterton ³⁴, Monika Pusok ³⁴, William Everson ³⁷, Anibolina Castigador ⁴⁴, Emily Macnaughton ⁴⁴, Dr Kate El Bouzidi ⁴⁵, Dr Temi Lampejo ⁴⁵, Dr Malur Sudhanva ⁴⁵, Cassie Breen ⁴⁷, Dr Graciela Sluga ⁴⁸, Dr Shazaad SY Ahmad ^{49, 70}, Dr Ryan P George ⁴⁹, Dr Nicholas W Machin ^{49, 70}, Debbie Binns ⁵⁰, Victoria James ⁵⁰, Dr Rachel Blacow ⁵⁵, Dr Lindsay Coupland ⁵⁸, Dr Louise Smith ⁵⁹, Dr Edward Barton ⁶⁰, Debra Padgett ⁶⁰, Garren Scott ⁶⁰, Dr Aidan Cross ⁶¹, Dr Mariyam Mirfenderesky ⁶¹, Jane Greenaway ⁶², Kevin Cole ⁶⁴, Phillip Clarke ⁶⁷, Nichola Duckworth ⁶⁷, Sarah Walsh ⁶⁷, Kelly Bicknell ⁶⁸, Robert Impey ⁶⁸, Dr Sarah Wyllie ⁶⁸, Richard Hopes ⁷⁰, Dr Chloe Bishop ⁷², Dr Vicki Chalker ⁷², Dr Ian Harrison ⁷², Laura Gifford ⁷⁴, Dr Zoltan Molnar ⁷⁷, Dr Cressida Auckland ⁷⁹, Dr Cariat Evans ^{85, 109}, Dr Kate Johnson ^{85, 109}, Dr David G Partridge ^{85, 109}, Dr Mohammad Raza ^{85, 109}, Paul Baker ⁸⁶, Prof Stephen Bonner ⁸⁶, Sarah Essex ⁸⁶, Leanne J Murray ⁸⁶, Andrew I Lawton ⁸⁷, Dr Shirelle Burton-Fanning ⁸⁹, Dr Brendan AI Payne ⁸⁹, Dr Sheila Waugh ⁸⁹, Andrea N Gomes ⁹¹, Maimuna Kimuli ⁹¹, Darren R Murray ⁹¹, Paula Ashfield ⁹², Dr Donald Dobie ⁹², Dr Fiona Ashford ⁹³, Dr Angus Best ⁹³, Dr Liam Crawford ⁹³, Dr Nicola Cumley ⁹³, Dr Megan Mayhew ⁹³, Dr Oliver Megram ⁹³, Dr Jeremy Mirza ⁹³, Dr Emma Moles-Garcia ⁹³, Dr Benita Percival ⁹³, Megan Driscoll ⁹⁶, Leah Ensell ⁹⁶, Dr Helen L Lowe ⁹⁶, Laurentiu Maftai ⁹⁶, Matteo Mondani ⁹⁶, Nicola J Chaloner ⁹⁹, Benjamin J Cogger ⁹⁹, Lisa J Easton ⁹⁹, Hannah Hucksion ⁹⁹, Jonathan Lewis ⁹⁹, Sarah Lowdon ⁹⁹, Cassandra S Malone ⁹⁹, Florence Munemo ⁹⁹, Manasa Mutingwende ⁹⁹, Roberto Nicodemi ⁹⁹, Olga Podplomyk ⁹⁹, Thomas Somassa ⁹⁹, Dr Andrew Beggs ¹⁰⁰, Dr Alex Richter ¹⁰⁰, Claire Cormie ¹⁰², Joana Dias ¹⁰², Sally Forrest ¹⁰², Dr Ellen E Higginson ¹⁰², Mailis Maes ¹⁰², Jamie Young ¹⁰², Dr Rose K Davidson ¹⁰³, Kathryn A Jackson ¹⁰⁷, Dr Lance Tuttle ¹⁰⁷, Dr Alexander J Keeley ¹⁰⁹, Prof Jonathan Ball ¹¹³, Timothy Byaruhanga ¹¹³, Dr Joseph G Chappell ¹¹³, Jayasree Dey ¹¹³, Jack D Hill ¹¹³, Emily J Park ¹¹³, Arezou Fanaie ¹¹⁴, Rachel A Hilson ¹¹⁴, Geraldine Yaze ¹¹⁴ and Stephanie Lo ¹¹⁶

Sequencing and analysis:

Safiah Afifi¹⁰, Robert Beer¹⁰, Joshua Maksimovic¹⁰, Kathryn McCluggage¹⁰, Karla Spellman¹⁰, Catherine Bresner¹¹, William Fuller¹¹, Dr Angela Marchbank¹¹, Trudy Workman¹¹, Dr Ekaterina Shelest^{13,81}, Dr Johnny Debebe¹⁸, Dr Fei Sang¹⁸, Dr Marina Escalera Zamudio²³, Dr Sarah Francois²³, Bernardo Gutierrez²³, Dr Tetyana I Vasylyeva²³, Dr Flavia Flaviani³¹, Dr Manon Ragonnet-Cronin³⁹, Dr Katherine L Smollett⁴², Alice Broos⁵³, Daniel Mair⁵³, Jenna Nichols⁵³, Dr Kyriaki Nomikou⁵³, Dr Lily Tong⁵³, Ioulia Tsatsani⁵³, Prof Sarah O'Brien⁵⁴, Prof Steven Rush-ton⁵⁴, Dr Roy Sanderson⁵⁴, Dr Jon Perkins⁵⁵, Seb Cotton⁵⁶, Abbie Gallagher⁵⁶, Dr Elias Allara^{70,102}, Clare Pearson^{70,102}, Dr David Bibby⁷², Dr Gavin Dabrera⁷², Dr Nicholas Ellaby⁷², Dr Eileen Gal-lagher⁷², Dr Jonathan Hubb⁷², Dr Angie Lackenby⁷², Dr David Lee⁷², Nikos Manesis⁷², Dr Tamyo Mbisa⁷², Dr Steven Platt⁷², Katherine A Twohig⁷², Dr Mari Morgan⁷⁴, Alp Aydin⁷⁵, David J Baker⁷⁵, Dr Ebenezer Foster-Nyarko⁷⁵, Dr Sophie J Prosolek⁷⁵, Steven Ruder⁷⁵, Chris Baxter⁷⁷, Silvia F Carvalho⁷⁷, Dr Deborah Lavin⁷⁷, Dr Arun Mariappan⁷⁷, Dr Clara Radulescu⁷⁷, Dr Aditi Singh⁷⁷, Miao Tang⁷⁷, Helen Morcrette⁷⁹, Nadua Bayzid⁹⁶, Marius Cotic⁹⁶, Dr Carlos E Balcazar¹⁰⁴, Dr Michael D Gallagher¹⁰⁴, Dr Daniel Maloney¹⁰⁴, Thomas D Stanton¹⁰⁴, Dr Kathleen A Williamson¹⁰⁴, Dr Robin Manley¹⁰⁵, Michelle L Michelsen¹⁰⁵, Dr Christine M Sambles¹⁰⁵, Dr David J Studholme¹⁰⁵, Joanna Warwick-Dugdale¹⁰⁵, Richard Eccles¹⁰⁷, Matthew Gemmell¹⁰⁷, Dr Richard Gregory¹⁰⁷, Dr Margaret Hughes¹⁰⁷, Charlotte Nelson¹⁰⁷, Dr Lucille Rainbow¹⁰⁷, Dr Edith E Vamos¹⁰⁷, Hermione J Webster¹⁰⁷, Dr Mark Whitehead¹⁰⁷, Claudia Wierzbicki¹⁰⁷, Dr Adrienn Angyal¹⁰⁹, Dr Luke R Green¹⁰⁹, Dr Max Whiteley¹⁰⁹, Emma Betteridge¹¹⁶, Dr Iraad F Bronner¹¹⁶, Ben W Farr¹¹⁶, Scott Goodwin¹¹⁶, Dr Stefanie V Lensing¹¹⁶, Shane A McCarthy^{116,102}, Dr Michael A Quail¹¹⁶, Diana Rajan¹¹⁶, Dr Nicholas M Redshaw¹¹⁶, Carol Scott¹¹⁶, Lesley Shirley¹¹⁶ and Scott AJ Thurston¹¹⁶

Software and analysis tools:

Dr Will Rowe⁴³, Amy Gaskin⁷⁴, Dr Thanh Le-Viet⁷⁵, James Bonfield¹¹⁶, Jennifer Liddle¹¹⁶ and Andrew Whitwham¹¹⁶

1 Barking, Havering and Redbridge University Hospitals NHS Trust, **2** Barts Health NHS Trust, **3** Belfast Health & Social Care Trust, **4** Betsi Cadwaladr University Health Board, **5** Big Data Institute, Nuffield Department of Medicine, University of Oxford, **6** Blackpool Teaching Hospitals NHS Foundation Trust, **7** Bournemouth University, **8** Cambridge Stem Cell Institute, University of Cambridge, **9** Cambridge University Hospitals NHS Foundation Trust, **10** Cardiff and Vale University Health Board, **11** Cardiff University, **12** Centre for Clinical Infection and Diagnostics Research, Department of Infectious Diseases, Guy's and St Thomas' NHS Foundation Trust, **13** Centre for Enzyme Innovation, University of Portsmouth, **14** Centre for Genomic Pathogen Surveillance, University of Oxford, **15** Clinical Microbiology Department, Queens Medical Centre, Nottingham University Hospitals NHS Trust, **16** Clinical Microbiology, University Hospitals of Leicester NHS Trust, **17** County Durham and Darlington NHS Foundation Trust, **18** Deep Seq, School of Life Sciences, Queens Medical Centre, University of Nottingham, **19** Department of Infectious Diseases and Microbiology, Cambridge University Hospitals NHS Foundation Trust, **20** Department of Medicine, University of Cambridge, **21** Department of Microbiology, Kettering General Hospital, **22** Department of Microbiology, South West London Pathology, **23** Department of Zoology, University of Oxford, **24** Division of Virology, Department of Pathology, University of Cambridge, **25** East Kent Hospitals University NHS

Foundation Trust, **26** East Suffolk and North Essex NHS Foundation Trust, **27** East Sussex Healthcare NHS Trust, **28** Gateshead Health NHS Foundation Trust, **29** Great Ormond Street Hospital for Children NHS Foundation Trust, **30** Great Ormond Street Institute of Child Health (GOS ICH), University College London (UCL), **31** Guy's and St. Thomas' Biomedical Research Centre, **32** Guy's and St. Thomas' NHS Foundation Trust, **33** Hampshire Hospitals NHS Foundation Trust, **34** Health Services Laboratories, **35** Heartlands Hospital, Birmingham, **36** Hub for Biotechnology in the Built Environment, Northumbria University, **37** Hull University Teaching Hospitals NHS Trust, **38** Imperial College Healthcare NHS Trust, **39** Imperial College London, **40** Infection Care Group, St George's University Hospitals NHS Foundation Trust, **41** Institute for Infection and Immunity, St George's University of London, **42** Institute of Biodiversity, Animal Health & Comparative Medicine, **43** Institute of Microbiology and Infection, University of Birmingham, **44** Isle of Wight NHS Trust, **45** King's College Hospital NHS Foundation Trust, **46** King's College London, **47** Liverpool Clinical Laboratories, **48** Maidstone and Tunbridge Wells NHS Trust, **49** Manchester University NHS Foundation Trust, **50** Microbiology Department, Buckinghamshire Healthcare NHS Trust, **51** Microbiology, Royal Oldham Hospital, **52** MRC Biostatistics Unit, University of Cambridge, **53** MRC-University of Glasgow Centre for Virus Research, **54** Newcastle University, **55** NHS Greater Glasgow and Clyde, **56** NHS Lothian, **57** NIHR Health Protection Research Unit in HCAI and AMR, Imperial College London, **58** Norfolk and Norwich University Hospitals NHS Foundation Trust, **59** Norfolk County Council, **60** North Cumbria Integrated Care NHS Foundation Trust, **61** North Middlesex University Hospital NHS Trust, **62** North Tees and Hartlepool NHS Foundation Trust, **63** North West London Pathology, **64** Northumbria Healthcare NHS Foundation Trust, **65** Northumbria University, **66** NU-OMICS, Northumbria University, **67** Path Links, Northern Lincolnshire and Goole NHS Foundation Trust, **68** Portsmouth Hospitals University NHS Trust, **69** Public Health Agency, Northern Ireland, **70** Public Health England, **71** Public Health England, Cambridge, **72** Public Health England, Colindale, **73** Public Health Scotland, **74** Public Health Wales, **75** Quadram Institute Bioscience, **76** Queen Elizabeth Hospital, Birmingham, **77** Queen's University Belfast, **78** Royal Brompton and Harefield Hospitals, **79** Royal Devon and Exeter NHS Foundation Trust, **80** Royal Free London NHS Foundation Trust, **81** School of Biological Sciences, University of Portsmouth, **82** School of Health Sciences, University of Southampton, **83** School of Medicine, University of Southampton, **84** School of Pharmacy & Biomedical Sciences, University of Portsmouth, **85** Sheffield Teaching Hospitals NHS Foundation Trust, **86** South Tees Hospitals NHS Foundation Trust, **87** Southwest Pathology Services, **88** Swansea University, **89** The Newcastle upon Tyne Hospitals NHS Foundation Trust, **90** The Queen Elizabeth Hospital King's Lynn NHS Foundation Trust, **91** The Royal Marsden NHS Foundation Trust, **92** The Royal Wolverhampton NHS Trust, **93** Turnkey Laboratory, University of Birmingham, **94** University College London Division of Infection and Immunity, **95** University College London Hospital Advanced Pathogen Diagnostics Unit, **96** University College London Hospitals NHS Foundation Trust, **97** University Hospital Southampton NHS Foundation Trust, **98** University Hospitals Dorset NHS Foundation Trust, **99** University Hospitals Sussex NHS Foundation Trust, **100** University of Birmingham, **101** University of Brighton, **102** University of Cambridge, **103** University of East Anglia, **104** University of Edinburgh, **105** University of Exeter, **106** University of Kent, **107** University of Liverpool, **108** University of

Oxford, **109** University of Sheffield, **110** University of Southampton, **111** University of St Andrews, **112** Viapath, Guy's and St Thomas' NHS Foundation Trust, and King's College Hospital NHS Foundation Trust, **113** Virology, School of Life Sciences, Queens Medical Centre, University of Nottingham, **114** Watford General

Hospital, **115** Wellcome Centre for Human Genetics, Nuffield Department of Medicine, University of Oxford, **116** Wellcome Sanger Institute, **117** West of Scotland Specialist Virology Centre, NHS Greater Glasgow and Clyde, **118** Whittington Health NHS Trust